

## **GATA6** Rabbit mAb

**Catalog # AP77759** 

## **Specification**

#### **GATA6** Rabbit mAb - Product Information

**Application Primary Accession** Reactivity Host Clonality

**WB** 092908 Human Rabbit

**Monoclonal Antibody** Calculated MW

60033

#### **GATA6** Rabbit mAb - Additional Information

**Gene ID 2627** 

**Other Names** GATA6

Dilution WB~~1/500-1/1000

**Format** Liquid

### **GATA6 Rabbit mAb - Protein Information**

## Name GATA6

## **Function**

Transcriptional activator (PubMed: <a href="http://www.uniprot.org/citations/19666519" target=" blank">19666519</a>, PubMed:<a href="http://www.uniprot.org/citations/22750565" target="blank">22750565</a>, PubMed:<a href="http://www.uniprot.org/citations/22824924" target="blank">22824924</a>, PubMed:<a href="http://www.uniprot.org/citations/27756709" target="blank">27756709</a>). Regulates SEMA3C and PLXNA2 (PubMed:<a href="http://www.uniprot.org/citations/19666519" target=" blank">19666519</a>). Involved in gene regulation specifically in the gastric epithelium (PubMed: <a href="http://www.uniprot.org/citations/9315713" target="\_blank">9315713</a>). May regulate genes that protect epithelial cells from bacterial infection (PubMed:<a href="http://www.uniprot.org/citations/16968778" target=" blank">16968778</a>). Involved in bone morphogenetic protein (BMP)-mediated cardiac-specific gene expression (By similarity). Binds to BMP response element (BMPRE) DNA sequences within cardiac activating regions (By similarity). In human skin, controls several physiological processes contributing to homeostasis of the upper pilosebaceous unit. Triggers ductal and sebaceous differentiation as well as limits cell proliferation and lipid production to prevent hyperseborrhoea. Mediates the effects of retinoic acid on sebocyte proliferation, differentiation and lipid production. Also contributes to immune regulation of sebocytes and antimicrobial responses by modulating the expression of antiinflammatory genes such as IL10 and pro-inflammatory genes such as IL6, TLR2, TLR4, and IFNG.





Tel: 858.875.1900 Fax: 858.875.1999

Activates TGFB1 signaling which controls the interfollicular epidermis fate (PubMed:<a href="http://www.uniprot.org/citations/33082341" target=" blank">33082341</a>).

# **Cellular Location** Nucleus

### **Tissue Location**

Expressed in heart, gut and gut-derived tissues. Expressed in skin upper pilosebaceous unit. Expression is decreased or lost in acne lesions (PubMed:33082341).

## **GATA6** Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# GATA6 Rabbit mAb - Images

