

**Natriuretic Peptides A Rabbit mAb**  
Catalog # AP77803**Specification****Natriuretic Peptides A Rabbit mAb - Product Information**

Application	WB
Primary Accession	<a href="#">P01160</a>
Reactivity	Human
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	16396

**Natriuretic Peptides A Rabbit mAb - Additional Information****Gene ID** 4878**Other Names**

NPPA

**Dilution**

WB~~1/500-1/1000

**Format**

Liquid

**Natriuretic Peptides A Rabbit mAb - Protein Information****Name** NPPA**Synonyms** ANP, PND**Function**

[Atrial natriuretic peptide]: Hormone that plays a key role in mediating cardio-renal homeostasis, and is involved in vascular remodeling and regulating energy metabolism (PubMed: [15741263](http://www.uniprot.org/citations/15741263), PubMed: [16875975](http://www.uniprot.org/citations/16875975), PubMed: [18835931](http://www.uniprot.org/citations/18835931), PubMed: [21672517](http://www.uniprot.org/citations/21672517), PubMed: [22307324](http://www.uniprot.org/citations/22307324), PubMed: [2532366](http://www.uniprot.org/citations/2532366), PubMed: [2825692](http://www.uniprot.org/citations/2825692), PubMed: [7595132](http://www.uniprot.org/citations/7595132), PubMed: [7720651](http://www.uniprot.org/citations/7720651), PubMed: [8087923](http://www.uniprot.org/citations/8087923), PubMed: [8653797](http://www.uniprot.org/citations/8653797)). Acts by specifically binding and stimulating NPR1 to produce cGMP, which in turn activates effector proteins, such as PRKG1, that drive various biological responses (PubMed: [1660465](http://www.uniprot.org/citations/1660465), PubMed: [1660465](http://www.uniprot.org/citations/1660465)).

href="http://www.uniprot.org/citations/1672777" target="\_blank">1672777</a>, PubMed:<a href="http://www.uniprot.org/citations/21098034" target="\_blank">21098034</a>, PubMed:<a href="http://www.uniprot.org/citations/2162527" target="\_blank">2162527</a>, PubMed:<a href="http://www.uniprot.org/citations/22307324" target="\_blank">22307324</a>, PubMed:<a href="http://www.uniprot.org/citations/25401746" target="\_blank">25401746</a>, PubMed:<a href="http://www.uniprot.org/citations/2825692" target="\_blank">2825692</a>, PubMed:<a href="http://www.uniprot.org/citations/7720651" target="\_blank">7720651</a>, PubMed:<a href="http://www.uniprot.org/citations/8384600" target="\_blank">8384600</a>, PubMed:<a href="http://www.uniprot.org/citations/9893117" target="\_blank">9893117</a>). Regulates vasodilation, natriuresis, diuresis and aldosterone synthesis and is therefore essential for regulating blood pressure, controlling the extracellular fluid volume and maintaining the fluid-electrolyte balance (PubMed:<a href="http://www.uniprot.org/citations/2532366" target="\_blank">2532366</a>, PubMed:<a href="http://www.uniprot.org/citations/2825692" target="\_blank">2825692</a>, PubMed:<a href="http://www.uniprot.org/citations/7595132" target="\_blank">7595132</a>, PubMed:<a href="http://www.uniprot.org/citations/7720651" target="\_blank">7720651</a>, PubMed:<a href="http://www.uniprot.org/citations/8087923" target="\_blank">8087923</a>, PubMed:<a href="http://www.uniprot.org/citations/8653797" target="\_blank">8653797</a>). Also involved in inhibiting cardiac remodeling and cardiac hypertrophy by inducing cardiomyocyte apoptosis and attenuating the growth of cardiomyocytes and fibroblasts (PubMed:<a href="http://www.uniprot.org/citations/16875975" target="\_blank">16875975</a>). Plays a role in female pregnancy by promoting trophoblast invasion and spiral artery remodeling in uterus, and thus prevents pregnancy-induced hypertension (By similarity). In adipose tissue, acts in various cGMP- and PKG-dependent pathways to regulate lipid metabolism and energy homeostasis (PubMed:<a href="http://www.uniprot.org/citations/15741263" target="\_blank">15741263</a>, PubMed:<a href="http://www.uniprot.org/citations/18835931" target="\_blank">18835931</a>, PubMed:<a href="http://www.uniprot.org/citations/21672517" target="\_blank">21672517</a>, PubMed:<a href="http://www.uniprot.org/citations/22307324" target="\_blank">22307324</a>). This includes up-regulating lipid metabolism and mitochondrial oxygen utilization by activating the AMP-activated protein kinase (AMPK), and increasing energy expenditure by acting via MAPK11 to promote the UCP1-dependent thermogenesis of brown adipose tissue (PubMed:<a href="http://www.uniprot.org/citations/15741263" target="\_blank">15741263</a>, PubMed:<a href="http://www.uniprot.org/citations/18835931" target="\_blank">18835931</a>, PubMed:<a href="http://www.uniprot.org/citations/21672517" target="\_blank">21672517</a>, PubMed:<a href="http://www.uniprot.org/citations/22307324" target="\_blank">22307324</a>). Binds the clearance receptor NPR3 which removes the hormone from circulation (PubMed:<a href="http://www.uniprot.org/citations/1672777" target="\_blank">1672777</a>).

### Cellular Location

[Long-acting natriuretic peptide]: Secreted. Note=Detected in blood. [Kaliuretic peptide]: Secreted. Note=Detected in blood [Atrial natriuretic peptide]: Secreted. Perikaryon. Cell projection. Note=Detected in blood (PubMed:15741263, PubMed:18835931, PubMed:2532366, PubMed:7955907, PubMed:7984506, PubMed:8351194, PubMed:8653797, PubMed:8779891). Detected in urine in one study (PubMed:8351194). However, in another study, was not detected in urine (PubMed:7984506). Detected in cytoplasmic bodies and neuronal processes of pyramidal neurons (layers II-VI) (PubMed:30534047) Increased secretion in response to the vasopressin AVP (By similarity) Likely to be secreted in response to an increase in atrial pressure or atrial stretch (PubMed:2532366). In kidney cells, secretion increases in response to activated guanylyl cyclases and increased intracellular cAMP levels (PubMed:9893117). Plasma levels increase 15 minutes after a high-salt meal, and decrease back to normal plasma levels 1 hr later (PubMed:8779891). {ECO:0000250|UniProtKB:P01161, ECO:0000269|PubMed:15741263, ECO:0000269|PubMed:18835931, ECO:0000269|PubMed:2532366, ECO:0000269|PubMed:30534047, ECO:0000269|PubMed:7955907, ECO:0000269|PubMed:7984506, ECO:0000269|PubMed:8351194, ECO:0000269|PubMed:8653797, ECO:0000269|PubMed:8779891, ECO:0000269|PubMed:9893117}

### Tissue Location

[Urodilatin]: Detected in the kidney distal tubular cells (at protein level) (PubMed:8384600, PubMed:9794555). Present in urine (at protein level) (PubMed:2972874, PubMed:8351194, PubMed:8779891, PubMed:9794555).

### Natriuretic Peptides A Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### Natriuretic Peptides A Rabbit mAb - Images

