

**RAF1 (BRAF) Antibody (T598)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP7810k**

**Specification**

---

**RAF1 (BRAF) Antibody (T598) - Product Information**

Application	WB, IHC-P,E
Primary Accession	<a href="#">P15056</a>
Other Accession	<a href="#">P11345</a> , <a href="#">Q99N57</a> , <a href="#">P04049</a> , <a href="#">P05625</a> , <a href="#">A7E3S4</a> , <a href="#">P28028</a> , <a href="#">Q04982</a>
Reactivity	Human
Predicted	Chicken, Mouse, Bovine, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	84437
Antigen Region	577-606

**RAF1 (BRAF) Antibody (T598) - Additional Information**

**Gene ID** 673

**Other Names**

Serine/threonine-protein kinase B-raf, Proto-oncogene B-Raf, p94, v-Raf murine sarcoma viral oncogene homolog B1, BRAF, BRAF1, RAFB1

**Target/Specificity**

This RAF1 (BRAF) antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 577-606 amino acids from human RAF1 (BRAF).

**Dilution**

WB~~1:1000  
IHC-P~~1:10~50

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

RAF1 (BRAF) Antibody (T598) is for research use only and not for use in diagnostic or therapeutic procedures.

**RAF1 (BRAF) Antibody (T598) - Protein Information**

**Name** BRAF ([HGNC:1097](#))

**Synonyms** BRAF1, RAFB1

**Function** Protein kinase involved in the transduction of mitogenic signals from the cell membrane to the nucleus (Probable). Phosphorylates MAP2K1, and thereby activates the MAP kinase signal transduction pathway (PubMed:[21441910](#), PubMed:[29433126](#)). Phosphorylates PFKFB2 (PubMed:[36402789](#)). May play a role in the postsynaptic responses of hippocampal neurons (PubMed:[1508179](#)).

**Cellular Location**

Nucleus. Cytoplasm. Cell membrane. Note=Colocalizes with RGS14 and RAF1 in both the cytoplasm and membranes.

**Tissue Location**


Brain and testis.

**RAF1 (BRAF) Antibody (T598) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**RAF1 (BRAF) Antibody (T598) - Images**



All lanes : Anti-BRAF Antibody at 1:1000 dilution Lane 1: K562 whole cell lysate Lane 2: MCF-7 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 84 kDa Blocking/Dilution buffer: 5% NFD/MTBST.



Formalin-fixed and paraffin-embedded human brain tissue reacted with BRAF Antibody (T598) (Cat.#AP7810k), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

#### **RAF1 (BRAF) Antibody (T598) - Background**

BRAF, a member of the RAF subfamily of Ser/Thr protein kinases, is involved in the transduction of mitogenic signals from the cell membrane to the nucleus. It may play a role in the postsynaptic responses of hippocampal neurons. This cytoplasmic protein is expressed in brain and testis. Defects in BRAF are involved in a wide range of cancers including lung cancer and non-Hodgkin lymphoma (NHL). This protein contains 1 zinc-dependent phorbol-ester and DAG binding domain.

#### **RAF1 (BRAF) Antibody (T598) - References**

Hingorani, S.R., et al., *Cancer Res.* 63(17):5198-5202 (2003).  
Lee, J.W., et al., *Br. J. Cancer* 89(10):1958-1960 (2003).  
Davies, H., et al., *Nature* 417(6892):949-954 (2002).  
Naoki, K., et al., *Cancer Res.* 62(23):7001-7003 (2002).  
Stephens, R.M., et al., *Mol. Cell. Biol.* 12(9):3733-3742 (1992).