

KDM4B Rabbit mAb
Catalog # AP78280**Specification**

KDM4B Rabbit mAb - Product Information

Application	WB
Primary Accession	O94953
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Monoclonal Antibody
Calculated MW	121897

KDM4B Rabbit mAb - Additional Information

Gene ID 23030

Other Names
KDM4B**Dilution**
WB~~1/500-1/1000**Format**
Liquid**KDM4B Rabbit mAb - Protein Information****Name** KDM4B**Synonyms** JHDM3B, JMJD2B, KIAA0876**Function**

Histone demethylase that specifically demethylates 'Lys-9' of histone H3, thereby playing a role in histone code. Does not demethylate histone H3 'Lys-4', H3 'Lys-27', H3 'Lys-36' nor H4 'Lys- 20'. Only able to demethylate trimethylated H3 'Lys-9', with a weaker activity than KDM4A, KDM4C and KDM4D. Demethylation of Lys residue generates formaldehyde and succinate (PubMed:16603238, PubMed:28262558). Plays a critical role in the development of the central nervous system (CNS).

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00537, ECO:0000269|PubMed:15927959}

KDM4B Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

KDM4B Rabbit mAb - Images

