

Stathmin 1 Rabbit mAb

Catalog # AP78662

Specification

Stathmin 1 Rabbit mAb - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW WB, IHC <u>P16949</u> Human, Mouse Rabbit Monoclonal Antibody 17303

Stathmin 1 Rabbit mAb - Additional Information

Gene ID 3925

Other Names STMN1

Dilution WB~~1/500-1/1000 IHC~~1/100-1/200

Format Liquid

Stathmin 1 Rabbit mAb - Protein Information

Name STMN1

Synonyms Clorf215, LAP18, OP18

Function

Involved in the regulation of the microtubule (MT) filament system by destabilizing microtubules. Prevents assembly and promotes disassembly of microtubules. Phosphorylation at Ser-16 may be required for axon formation during neurogenesis. Involved in the control of the learned and innate fear (By similarity).

Cellular Location Cytoplasm, cytoskeleton.

Tissue Location

Ubiquitous. Expression is strongest in fetal and adult brain, spinal cord, and cerebellum, followed by thymus, bone marrow, testis, and fetal liver. Expression is intermediate in colon, ovary, placenta, uterus, and trachea, and is readily detected at substantially lower levels in all other tissues examined. Lowest expression is found in adult liver. Present in much greater abundance in cells from patients with acute leukemia of different subtypes than in normal peripheral blood lymphocytes, non-leukemic proliferating lymphoid cells, bone marrow cells, or cells from patients



with chronic lymphoid or myeloid leukemia.

Stathmin 1 Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Stathmin 1 Rabbit mAb - Images



