

Dopamine beta Hydroxylase Rabbit mAb
Catalog # AP78847**Specification**

Dopamine beta Hydroxylase Rabbit mAb - Product Information

| | |
|-------------------|------------------------|
| Application | WB |
| Primary Accession | P09172 |
| Reactivity | Human |
| Host | Rabbit |
| Clonality | Monoclonal Antibody |
| Calculated MW | 69065 |

Dopamine beta Hydroxylase Rabbit mAb - Additional Information**Gene ID** 1621**Other Names**

DBH

Dilution

WB~~1/500-1/1000

Format

Liquid

Dopamine beta Hydroxylase Rabbit mAb - Protein Information**Name** DBH**Function**

Catalyzes the hydroxylation of dopamine to noradrenaline (also known as norepinephrine), and is thus vital for regulation of these neurotransmitters.

Cellular Location

[Soluble dopamine beta-hydroxylase]: Cytoplasmic vesicle, secretory vesicle lumen Cytoplasmic vesicle, secretory vesicle, chromaffin granule lumen. Secreted

Dopamine beta Hydroxylase Rabbit mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)

- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Dopamine beta Hydroxylase Rabbit mAb - Images

