

TSPAN1 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP8693c

Specification

TSPAN1 Antibody (Center) - Product Information

Application	WB, IHC-P, FC,E
Primary Accession	O60635
Other Accession	NP_005718.2
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	140-167

TSPAN1 Antibody (Center) - Additional Information

Gene ID 10103

Other Names

Tetraspanin-1, Tspan-1, Tetraspan NET-1, Tetraspanin TM4-C, TSPAN1

Target/Specificity

This TSPAN1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 140-167 amino acids of human TSPAN1.

Dilution

WB~~1:1000
IHC-P~~1:50~100
FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TSPAN1 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

TSPAN1 Antibody (Center) - Protein Information

Name TSPAN1

Function Structural component of specialized membrane microdomains known as

tetraspanin-enriched microdomains (TERMs), which act as platforms for receptor clustering and signaling. Participates thereby in diverse biological functions such as cell signal transduction, adhesion, migration and protein trafficking (PubMed:[30066932](#), PubMed:[30291375](#)). Regulates neuronal differentiation in response to NGF by facilitating NGF-mediated activation of NTRK1/TRKA receptor tyrosine kinase and subsequent downstream signaling pathways (By similarity). Plays a role in the inhibition of TNFalpha-induced apoptosis. Mechanistically, inhibits the NF-kappa-B signaling pathway by blocking phosphorylation of CHUK (PubMed:[30291375](#)). Promotes also the stability of the thiamine transporter 1/SLC19A2 in intestinal epithelial cells leading to an increase of thiamine uptake process (PubMed:[21836059](#)).

Cellular Location


Cell membrane; Multi-pass membrane protein. Lysosome membrane; Multi- pass membrane protein

TSPAN1 Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


TSPAN1 Antibody (Center) - Images



Western blot analysis of TSPAN1 Antibody (Center) (Cat. #AP8693c) in mouse heart tissue lysates (35ug/lane). TSPAN1 (arrow) was detected using the purified Pab.



Formalin-fixed and paraffin-embedded human brain tissue reacted with TSPAN1 Antibody (Center), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



TSPAN1 Antibody (Center) (Cat. #AP8693c) flow cytometry analysis of HL-60 cells (bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

TSPAN1 Antibody (Center) - Background

TSPAN1 is a member of the transmembrane 4 superfamily, also known as the tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility.

TSPAN1 Antibody (Center) - References

Xu, D., et al., FASEB J. 23 (11), 3674-3681 (2009)
 Berditchevski, F. et al., J. Cell. Sci. 114 (PT 23), 4143-4151 (2001)