

Histone H4 (acetyl K5) Antibody

Rabbit mAb Catalog # AP90353

Specification

Histone H4 (acetyl K5) Antibody - Product Information

Application WB, IHC, ICC, IP

Primary Accession P62805
Reactivity Rat

Clonality Monoclonal

Other Names

H4F2; HIST; HIST1H4A; Histone H4.AC-H4K5; H4K5;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 11367 Da

Histone H4 (acetyl K5) Antibody - Additional Information

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

Histone H4 (acetyl K5)

Description Histones are basic nuclear proteins that

are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer

composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone,

H1, with the DNA between the nucleosomes to form higher order

chromatin structures.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline ,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

Histone H4 (acetyl K5) Antibody - Protein Information

Name H4C1

Synonyms H4/A, H4FA, HIST1H4A

Function

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting



DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

Cellular Location


Nucleus. Chromosome.

Histone H4 (acetyl K5) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Histone H4 (acetyl K5) Antibody - Images



Western blot analysis of Histone H4 (acetyl K5) expression in (1) Untreated HeLa HeLa cell lysate; (2) TSA treated HeLa cell lysate.