

# PI 3 Kinase p85 alpha Antibody

Rabbit mAb Catalog # AP90394

#### **Specification**

# PI 3 Kinase p85 alpha Antibody - Product Information

Application WB
Primary Accession P27986
Reactivity Rat

Clonality Monoclonal

**Other Names** 

GRB1; P85A; PI3-kinase p85-alpha; PI3K; PI3K p85-alpha; ptdlns-3-kinase p85-alpha;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 83598 Da

# PI 3 Kinase p85 alpha Antibody - Additional Information

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

PI 3 Kinase p85 alpha

Description

Binds to activated (phosphorylated)

protein-Tyr kinases, through its SH2

domain, and acts as an adapter, mediating the association of the p110 catalytic unit to the plasma membrane. Necessary for the insulin-stimulated increase in glucose

uptake and glycogen synthesis in insulin-sensitive tissues. Plays an

important role in signaling in response to FGFR1, FGFR2, FGFR3, FGFR4, KITLG/SCF, KIT, PDGFRA and PDGFRB. Likewise, plays

a role in ITGB2 signaling.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline ,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

### PI 3 Kinase p85 alpha Antibody - Protein Information

Name PIK3R1

**Synonyms** GRB1

#### **Function**

Binds to activated (phosphorylated) protein-Tyr kinases, through its SH2 domain, and acts as an adapter, mediating the association of the p110 catalytic unit to the plasma membrane. Necessary



for the insulin-stimulated increase in glucose uptake and glycogen synthesis in insulin-sensitive tissues. Plays an important role in signaling in response to FGFR1, FGFR2, FGFR3, FGFR4, KITLG/SCF, KIT, PDGFRA and PDGFRB. Likewise, plays a role in ITGB2 signaling (PubMed:<a href="http://www.uniprot.org/citations/17626883" target="\_blank">17626883</a>, PubMed:<a href="http://www.uniprot.org/citations/19805105" target="\_blank">19805105</a>, PubMed:<a href="http://www.uniprot.org/citations/7518429" target="\_blank">7518429</a>). Modulates the cellular response to ER stress by promoting nuclear translocation of XBP1 isoform 2 in a ER stress-and/or insulin-dependent manner during metabolic overloading in the liver and hence plays a role in glucose tolerance improvement (PubMed:<a href="http://www.uniprot.org/citations/20348923" target="\_blank">20348923</a>).

#### **Tissue Location**


Isoform 2 is expressed in skeletal muscle and brain, and at lower levels in kidney and cardiac muscle. Isoform 2 and isoform 4 are present in skeletal muscle (at protein level)

# PI 3 Kinase p85 alpha Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# PI 3 Kinase p85 alpha Antibody - Images



Western blot analysis of PI 3 Kinase p85 alpha expression in A431 cell lysate.