

GFAP Antibody

Rabbit mAb Catalog # AP90557

Specification

GFAP Antibody - Product Information

Application Primary Accession Reactivity Clonality Other Names GFAP; FLJ45472; cb345; ALXDRD;	WB, IHC, ICC <u>P14136</u> Rat Monoclonal
lsotype Host Calculated MW	Rabbit IgG Rabbit 49880 Da
GFAP Antibody - Additional Information	
Purification Immunogen	Affinity-chromatography A synthesized peptide derived from human GFAP
Description	The cytoskeleton consists of three types of cytosolic fibers: microfilaments (actin filaments), intermediate filaments, and microtubules. Major types of intermediate filaments are specifically expressed in particular cell types: cytokeratins in epithelial cells, glial fibrillary acidic protein (GFAP) in glial cells, desmin in skeletal, visceral, and certain vascular smooth muscle cells, vimentin in cells of mesenchymal origin, and neurofilaments in neurons. GFAP and vimentin form intermediate filaments in astroglial cells and modulate their motility and shape.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

GFAP Antibody - Protein Information

Name GFAP

Function

GFAP, a class-III intermediate filament, is a cell-specific marker that, during the development of the central nervous system, distinguishes astrocytes from other glial cells.



Cellular Location

Cytoplasm. Note=Associated with intermediate filaments


Tissue Location Expressed in cells lacking fibronectin.

GFAP Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

GFAP Antibody - Images



Western blot analysis of GFAP expression in Rat brain lysate.