

PAI1 Antibody
Rabbit mAb
Catalog # AP91331

Specification

PAI1 Antibody - Product Information

Application	WB, FC, ICC, IP
Primary Accession	P05121
Clonality	Monoclonal
Other Names	
PAI-1; PAI-1; PAI; Endothelial plasminogen activator inhibitor; SERPINE1; PAI1; PLANH1; Serpine 1;	
Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	45060 Da

PAI1 Antibody - Additional Information

Purification	Affinity-chromatography
Immunogen	A synthesized peptide derived from human PAI1
Description	This inhibitor acts as 'bait' for tissue plasminogen activator, urokinase, and protein C. Its rapid interaction with TPA may function as a major control point in the regulation of fibrinolysis.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

PAI1 Antibody - Protein Information

Name SERPINE1

Synonyms PAI1, PLANH1

Function

Serine protease inhibitor. Inhibits TMPRSS7 (PubMed:[15853774](http://www.uniprot.org/citations/15853774)). Is a primary inhibitor of tissue-type plasminogen activator (PLAT) and urokinase-type plasminogen activator (PLAU). As PLAT inhibitor, it is required for fibrinolysis down-regulation and is responsible for the controlled degradation of blood clots (PubMed:[17912461](http://www.uniprot.org/citations/17912461)), PubMed:[8481516](http://www.uniprot.org/citations/8481516), PubMed:[9207454](http://www.uniprot.org/citations/9207454)). As PLAU inhibitor, it is involved in the regulation of cell adhesion and spreading (PubMed:[9175705](http://www.uniprot.org/citations/9175705)). Acts as a

regulator of cell migration, independently of its role as protease inhibitor (PubMed:15001579, PubMed:9168821). It is required for stimulation of keratinocyte migration during cutaneous injury repair (PubMed:18386027). It is involved in cellular and replicative senescence (PubMed:16862142). Plays a role in alveolar type 2 cells senescence in the lung (By similarity). Is involved in the regulation of cementogenic differentiation of periodontal ligament stem cells, and regulates odontoblast differentiation and dentin formation during odontogenesis (PubMed:25808697, PubMed:27046084).

Cellular Location

Secreted.

Tissue Location


Expressed in endothelial cells (PubMed:2430793, PubMed:3097076). Found in plasma, platelets, and hepatoma and fibrosarcoma cells.

PAI1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

PAI1 Antibody - Images



Western blot analysis of PAI1 expression in HepG2 cell lysate.