

CD209 Antibody

Rabbit mAb Catalog # AP91403

Specification

CD209 Antibody - Product Information

Application WB
Primary Accession Q9NNX6
Clonality Monoclonal

Other Names

CD209 antigen-like protein A; CDSIGN; CIRE; CLEC4L; DCSIGN; Dendritic cell specific ICAM 3 grabbing nonintegrin 1; HIV GP120 Binding Protein; SIGN-R1; SIGNR5;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 45775 Da

CD209 Antibody - Additional Information

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

CD209

Description Pathogen-recognition receptor expressed

on the surface of immature dendritic cells (DCs) and involved in initiation of primary immune response. Thought to mediate the endocytosis of pathogens which are subsequently degraded in lysosomal

compartments.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

CD209 Antibody - Protein Information

Name CD209

Synonyms CLEC4L

Function

Pathogen-recognition receptor expressed on the surface of immature dendritic cells (DCs) and involved in initiation of primary immune response. Thought to mediate the endocytosis of pathogens which are subsequently degraded in lysosomal compartments. The receptor returns to the cell membrane surface and the pathogen-derived antigens are presented to resting T-cells via MHC class II proteins to initiate the adaptive immune response.

Cellular Location







[Isoform 1]: Cell membrane; Single- pass type II membrane protein [Isoform 3]: Cell membrane; Single- pass type II membrane protein [Isoform 5]: Cell membrane; Single- pass type II membrane protein [Isoform 7]: Secreted. [Isoform 9]: Secreted. [Isoform 11]: Secreted.

Tissue Location


Predominantly expressed in dendritic cells and in DC-residing tissues. Also found in placental macrophages, endothelial cells of placental vascular channels, peripheral blood mononuclear cells, and THP-1 monocytes.

CD209 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

CD209 Antibody - Images



Western blot analysis of CD209 expression in HACAT cell lysate.