

Prolactin Receptor Antibody Rabbit mAb Catalog # AP91497

Specification

Prolactin Receptor Antibody - Product Information

ApplicationWB, IHC, ICCPrimary AccessionP16471ReactivityRatClonalityMonoclonalOther NamesCPRLP; HPRL; hPRL receptor; Lactogen receptor; MFAB; OPR; Pr-1; Pr-3; PRLR; Prolactin receptor a;

Isotype	Rabbit IgG
Host	Rabbit
Calculated MW	69506 Da

Prolactin Receptor Antibody - Additional Information

Purification Immunogen	Affinity-chromatography A synthesized peptide derived from human
Description	Prolactin Receptor Activate multiple signal transduction pathways in breast cancer cells, including
	the Jak/Stat, PI3K/Akt, and MAPK pathways, leading to both pro-proliferative and anti-apoptotic downstream effects.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short
	term. Store at -20°C long term. Avoid
	freeze / thaw cycle.

Prolactin Receptor Antibody - Protein Information

Name PRLR

Function

This is a receptor for the anterior pituitary hormone prolactin (PRL). Acts as a prosurvival factor for spermatozoa by inhibiting sperm capacitation through suppression of SRC kinase activation and stimulation of AKT. Isoform 4 is unable to transduce prolactin signaling. Isoform 6 is unable to transduce prolactin signaling.

Cellular Location Membrane; Single-pass type I membrane protein

Tissue Location

Expressed in breast, placenta, kidney, liver and pancreas.




Prolactin Receptor Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Prolactin Receptor Antibody - Images



Western blot analysis of Prolactin Receptor expression in Jurkat cell lysate.