

MUM1 Antibody

Rabbit mAb **Catalog # AP91510**

Specification

MUM1 Antibody - Product Information

WB, IHC, FC, ICC, IP Application

Primary Accession 015306 Clonality **Monoclonal**

Other Names

LSIRF; Multiple myeloma oncogene 1; NF-EM5; IRF4; MUM1; Transcriptional activator PIP;

Isotype Rabbit IgG Host **Rabbit** Calculated MW 51772 Da

MUM1 Antibody - Additional Information

Affinity-chromatography Purification

Immunogen A synthesized peptide derived from human

MUM1

Description Melanoma associated antigen (mutated) 1

> (MUM1, EXPAND1) is a PWWP-domain containing chromatin binding protein involved in maintaining chromatin

architecture of interphase chromosomes. Storage Condition and Buffer Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

MUM1 Antibody - Protein Information

Name IRF4

Synonyms MUM1

Function

Transcriptional activator. Binds to the interferon-stimulated response element (ISRE) of the MHC class I promoter. Binds the immunoglobulin lambda light chain enhancer, together with PU.1. Probably plays a role in ISRE-targeted signal transduction mechanisms specific to lymphoid cells. Involved in CD8(+) dendritic cell differentiation by forming a complex with the BATF-JUNB heterodimer in immune cells, leading to recognition of AICE sequence (5'-TGAnTCA/GAAA- 3'), an immune-specific regulatory element, followed by cooperative binding of BATF and IRF4 and activation of genes (By similarity).

Cellular Location Nucleus.




Tissue Location Lymphoid cells.

MUM1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

MUM1 Antibody - Images



Western blot analysis of MUM1 expression in Daudi cell lysate.