

SF2 Antibody

Rabbit mAb Catalog # AP91597

Specification

SF2 Antibody - Product Information

Application WB, IHC, FC, ICC

Primary Accession
Reactivity
Rat
Clonality
Monoclonal

Other Names

ASF; ASF1; SF2; SF2p33; SRp30a; SRSF1; SFRS1;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 27745 Da

SF2 Antibody - Additional Information

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

SF2

Description Plays a role in preventing exon skipping,

ensuring the accuracy of splicing and regulating alternative splicing. Interacts with other spliceosomal components, via the RS domains, to form a bridge between

the 5'- and 3'-splice site binding components, U1 snRNP and U2AF.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

SF2 Antibody - Protein Information

Name SRSF1 (HGNC:10780)

Synonyms ASF, SF2, SF2P33, SFRS1

Function

Plays a role in preventing exon skipping, ensuring the accuracy of splicing and regulating alternative splicing. Interacts with other spliceosomal components, via the RS domains, to form a bridge between the 5'- and 3'-splice site binding components, U1 snRNP and U2AF. Can stimulate binding of U1 snRNP to a 5'-splice site- containing pre-mRNA. Binds to purine-rich RNA sequences, either the octamer, 5'-RGAAGAAC-3' (r=A or G) or the decamers, AGGACAGAGC/AGGACGAAGC. Binds preferentially to the 5'-CGAGGCG-3' motif in vitro. Three copies of the octamer constitute a powerful splicing enhancer in vitro, the ASF/SF2 splicing enhancer (ASE) which can specifically







activate ASE-dependent splicing. Isoform ASF-2 and isoform ASF-3 act as splicing repressors. May function as export adapter involved in mRNA nuclear export through the TAP/NXF1 pathway.

Cellular Location


Cytoplasm. Nucleus speckle. Note=In nuclear speckles. Shuttles between the nucleus and the cytoplasm (PubMed:12215544, PubMed:20308322, PubMed:24449914, PubMed:9420331). Nuclear import is mediated via interaction with TNPO3 (PubMed:24449914).

SF2 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

SF2 Antibody - Images



Western blot analysis of SF2 expression in mouse spleen lysate.