

## **C1QB Antibody**

Rabbit mAb Catalog # AP91652

#### **Specification**

## **C1QB Antibody - Product Information**

Application WB, IHC
Primary Accession P02746
Clonality Monoclonal

**Other Names** 

C1qb; Complement component 1 q subcomponent B chain;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 26722 Da

#### **C1QB Antibody - Additional Information**

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

C1QB

Description C1q associates with the proenzymes C1r

and C1s to yield C1, the first component of

the serum complement system. The collagen-like regions of C1q interact with the Ca2+-dependent C1r2C1s2 proenzyme complex, and efficient activation of C1 takes place on interaction of the globular heads of C1q with the Fc regions of IgG or

IgM antibody present in immune

complexes.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline ,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

## **C1QB Antibody - Protein Information**

#### Name C1QB

#### **Function**

C1q associates with the proenzymes C1r and C1s to yield C1, the first component of the serum complement system. The collagen-like regions of C1q interact with the Ca(2+)-dependent C1r(2)C1s(2) proenzyme complex, and efficient activation of C1 takes place on interaction of the globular heads of C1q with the Fc regions of IgG or IgM antibody present in immune complexes.

**Cellular Location** 

Secreted.




# **C1QB Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# C1QB Antibody - Images



Western blot analysis of C1QB expression in Human plasma lysate.