

PSB9 / LMP2 Antibody

Rabbit mAb Catalog # AP91760

Specification

PSB9 / LMP2 Antibody - Product Information

Application WB, FC, ICC
Primary Accession P28065
Reactivity Rat
Clonality Monoclonal

Other Names

Beta1i; LMP2; PSMB 9; PSMB6i; PSMB9; RING12;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 23264 Da

PSB9 / LMP2 Antibody - Additional Information

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

Proteasome 20S LMP2

Description The proteasome is a multicatalytic

proteinase complex which is characterized by its ability to cleave peptides with Arg, Phe, Tyr, Leu, and Glu adjacent to the leaving group at neutral or slightly basic pH. The proteasome has an ATP-dependent

proteolytic activity.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline ,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

PSB9 / LMP2 Antibody - Protein Information

Name PSMB9

Synonyms LMP2, PSMB6i, RING12

Function

The proteasome is a multicatalytic proteinase complex which is characterized by its ability to cleave peptides with Arg, Phe, Tyr, Leu, and Glu adjacent to the leaving group at neutral or slightly basic pH (PubMed:<a href="http://www.uniprot.org/citations/33727065"

target="_blank">33727065, PubMed:34819510). The proteasome has an ATP- dependent proteolytic activity. This subunit is involved in antigen processing to generate class I binding peptides. Replacement of PSMB6 by PSMB9 increases the capacity of the immunoproteasome to cleave model peptides after



hydrophobic and basic residues.

Cellular Location


Cytoplasm {ECO:0000255|PROSITE-ProRule:PRU00809}. Nucleus

PSB9 / LMP2 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

PSB9 / LMP2 Antibody - Images



Western blot analysis of Proteasome 20S LMP2 expression in A431 cell lysate.