

Renalase Antibody

Rabbit mAb Catalog # AP92311

Specification

Renalase Antibody - Product Information

Application WB, IHC
Primary Accession Q5VYX0
Reactivity Rat
Clonality Monoclonal

Other Names

MAO C; mMAO C; Renalase; RNLS;

Isotype Rabbit IgG
Host Rabbit
Calculated MW 37847 Da

Renalase Antibody - Additional Information

Purification Affinity-chromatography

Immunogen A synthesized peptide derived from human

Renalase

Description Probable FAD-dependent amine oxidase

secreted by the kidney, which circulates in blood and modulates cardiac function and

systemic blood pressure. Degrades catecholamines such as dopamine,

norepinephrine and epinephrine in vitro.

Storage Condition and Buffer Rabbit IgG in phosphate buffered saline,

pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid

freeze / thaw cycle.

Renalase Antibody - Protein Information

Name RNLS

Synonyms C10orf59

Function

Catalyzes the oxidation of the less abundant 1,2-dihydro- beta-NAD(P) and

1,6-dihydro-beta-NAD(P) to form beta-NAD(P)(+). The enzyme hormone is secreted by the kidney, and circulates in blood and modulates cardiac function and systemic blood pressure. Lowers blood pressure in vivo by decreasing cardiac contractility and heart rate and preventing a compensatory increase in peripheral vascular tone, suggesting a causal link to the increased plasma catecholamine and heightened cardiovascular risk. High concentrations of catecholamines activate plasma renalase and promotes its secretion and synthesis.





Cellular Location Secreted.

Tissue Location


Secreted into the blood by the kidney. Highly expressed in the kidney, expressed at lower level in heart, skeletal muscle and small intestine. Its plasma concentration is markedly reduced in patients with end-stage renal disease, as compared with healthy subjects.

Renalase Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Renalase Antibody - Images



Western blot analysis of Renalase expression in 293T cell lysate.