

Histone H3 (tri methyl K27) Antibody Rabbit mAb Catalog # AP93206

### **Specification**

## Histone H3 (tri methyl K27) Antibody - Product Information

Application Primary Accession Clonality **Other Names** Histone H3.1, Histone H3, HIST1H3A; WB, IHC, ICC, CHIP P68431 Monoclonal

la altrica a	D-b-b-b-b-b-c
lsotype	Rabbit IgG
Host	Rabbit
Calculated MW	<b>15404 Da</b>

#### Histone H3 (tri methyl K27) Antibody - Additional Information

Purification Immunogen	Affinity-chromatography A synthesized peptide derived from human Histone H3 (tri methyl K27)
Description	Belongs to the histone H3 family. Play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.
Storage Condition and Buffer	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.

#### Histone H3 (tri methyl K27) Antibody - Protein Information

Name H3C1 (<u>HGNC:4766</u>)

Synonyms H3FA, HIST1H3A

#### Function

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling.

**Cellular Location** 




Nucleus. Chromosome.

# Histone H3 (tri methyl K27) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Histone H3 (tri methyl K27) Antibody - Images



Western blot analysis of Histone H3 (tri methyl K27) expression in Hela cell lysate.