

ZNF705D (4V8) Mouse Monoclonal antibody
ZNF705D (4V8) Mouse Monoclonal antibody
Catalog # AP93854

Specification

ZNF705D (4V8) Mouse Monoclonal antibody - Product Information

Application	WB, IHC
Primary Accession	POCH99
Reactivity	Human
Clonality	Monoclonal
Calculated MW	34712

ZNF705D (4V8) Mouse Monoclonal antibody - Additional Information

Gene ID 728957

Other Names

Zinc finger protein 705D, ZNF705D

Storage Conditions

-20°C

ZNF705D (4V8) Mouse Monoclonal antibody - Protein Information

Name ZNF705D

Function

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF705D (4V8) Mouse Monoclonal antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


ZNF705D (4V8) Mouse Monoclonal antibody - Images




Immunohistochemical staining of paraffin-embedded Human prostate tissue within the normal limits using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)




Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human endometrium tissue using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)




Immunohistochemical staining of paraffin-embedded Carcinoma of Human thyroid tissue using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)




Immunohistochemical staining of paraffin-embedded Human tonsil within the normal limits using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)



Immunohistochemical staining of paraffin-embedded Human lymphoma tissue using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)



Immunohistochemical staining of paraffin-embedded Human pancreas tissue within the normal limits using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)



Immunohistochemical staining of paraffin-embedded Human breast tissue within the normal limits using anti-ZNF705D mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93854) (1:500)