

FAM127C (1O12) Mouse Monoclonal antibody
FAM127C (1O12) Mouse Monoclonal antibody
Catalog # AP93855

Specification

FAM127C (1O12) Mouse Monoclonal antibody - Product Information

Application	WB, IHC
Primary Accession	Q17RB0
Reactivity	Human
Clonality	Monoclonal
Calculated MW	13246

FAM127C (1O12) Mouse Monoclonal antibody - Additional Information

Gene ID 441518

Other Names

Retrotransposon Gag-like protein 8B {ECO:0000312|HGNC:HGNC:33156}, Mammalian retrotransposon derived protein 8B, RTL8B, CXX1C, FAM127C, MAR8B

Storage Conditions

-20°C

FAM127C (1O12) Mouse Monoclonal antibody - Protein Information

Name RTL8B


Synonyms CXX1C, FAM127C, MAR8B


FAM127C (1O12) Mouse Monoclonal antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FAM127C (1O12) Mouse Monoclonal antibody - Images







Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human colon tissue using anti-FAM127C mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, AP93855)




Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-FAM127C mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, AP93855)




Immunohistochemical staining of paraffin-embedded Carcinoma of Human lung tissue using anti-FAM127C mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, AP93855)



Immunohistochemical staining of paraffin-embedded Carcinoma of Human prostate tissue using anti-FAM127C mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, AP93855)



Flow cytometric Analysis of Jurkat cells, using anti-FAM127C antibody (AP93855), (Red), compared to a nonspecific negative control antibody , (Blue).



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY FAM127C (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-FAM127C(Cat# AP93855). Positive lysates (100ug) and (20ug) can be purchased separately from biodragon.