

FAM127C (1012) Mouse Monoclonal antibody

FAM127C (1012) Mouse Monoclonal antibody Catalog # AP93855

Specification

FAM127C (1012) Mouse Monoclonal antibody - Product Information

Application WB, IHC
Primary Accession Q17RB0
Reactivity Human
Clonality Monoclonal
Calculated MW 13246

FAM127C (1012) Mouse Monoclonal antibody - Additional Information

Gene ID 441518

Other Names

Retrotransposon Gag-like protein 8B {ECO:0000312|HGNC:HGNC:33156}, Mammalian retrotransposon derived protein 8B, RTL8B, CXX1C, FAM127C, MAR8B

Storage Conditions

-20°C

FAM127C (1012) Mouse Monoclonal antibody - Protein Information

Name RTL8B

Synonyms CXX1C, FAM127C, MAR8B


FAM127C (1012) Mouse Monoclonal antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

FAM127C (1012) Mouse Monoclonal antibody - Images






Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human colon tissue using anti-FAM127C mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, AP93855)




Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-FAM127C mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, AP93855)




Immunohistochemical staining of paraffin-embedded Carcinoma of Human lung tissue using anti-FAM127C mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, AP93855)






Immunohistochemical staining of paraffin-embedded Carcinoma of Human prostate tissue using anti-FAM127C mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, AP93855)



Flow cytometric Analysis of Jurkat cells, using anti-FAM127C antibody (AP93855), (Red), compared to a nonspecific negative control antibody, (Blue).



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY FAM127C (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-FAM127C(Cat# AP93855). Positive lysates (100ug) and (20ug) can be purchased separately from biodragon.