

HDHD1A (13I13) Mouse Monoclonal antibody
HDHD1A (13I13) Mouse Monoclonal antibody
Catalog # AP93868**Specification**

HDHD1A (13I13) Mouse Monoclonal antibody - Product Information

| | |
|-------------------|-------------------------|
| Application | WB, IHC |
| Primary Accession | Q08623 |
| Reactivity | Rat, Human, Monkey, Dog |
| Clonality | Monoclonal |
| Calculated MW | 25249 |

HDHD1A (13I13) Mouse Monoclonal antibody - Additional Information**Gene ID** 8226**Other Names**

Pseudouridine-5'-phosphatase {ECO:0000312|HGNC:HGNC:16818}, 3.1.3.96, Haloacid dehalogenase-like hydrolase domain-containing protein 1, Haloacid dehalogenase-like hydrolase domain-containing protein 1A, Protein GS1, Pseudouridine-5'-monophosphatase, 5'-PsiMPase, PUDP (HGNC:16818)

Storage Conditions

-20°C

HDHD1A (13I13) Mouse Monoclonal antibody - Protein Information**Name** PUDP ([HGNC:16818](#))**Function**


Dephosphorylates pseudouridine 5'-phosphate, a potential intermediate in rRNA degradation. Pseudouridine is then excreted intact in urine.

HDHD1A (13I13) Mouse Monoclonal antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


HDHD1A (13I13) Mouse Monoclonal antibody - Images




Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human endometrium tissue using anti-HDHD1A mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, AP93868)




Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-HDHD1A monoclonal antibody.



Immunohistochemical staining of paraffin-embedded Carcinoma of Human thyroid tissue using anti-HDHD1A mouse monoclonal antibody. (Heat-induced epitope retrieval by 10mM citric buffer, pH6.0, 100°C for 10min, AP93868)



HEK293T cells transfected with either overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-HDHD1A antibody (AP93868), and then analyzed by flow cytometry.



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY HDHD1A (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-HDHD1A(Cat# AP93868). Positive lysates (100ug) and (20ug) can be purchased separately from biodragon.

HDHD1A (13I13) Mouse Monoclonal antibody - Background

This gene encodes a member of the haloacid dehalogenase-like (HAD) hydrolase superfamily. The encoded protein has no known biological function. This gene has a pseudogene on chromosome 1. Multiple alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq]