

#### Purified ZNF34 (6J6) Mouse Monoclonal antibody

Purified ZNF34 (6J6) Mouse Monoclonal antibody Catalog # AP93891

## **Specification**

### Purified ZNF34 (6J6) Mouse Monoclonal antibody - Product Information

Application WB, IHC
Primary Accession
Reactivity Human
Clonality Monoclonal
Calculated MW 64038

### Purified ZNF34 (6J6) Mouse Monoclonal antibody - Additional Information

**Gene ID 80778** 

**Other Names** 

Zinc finger protein 34, Zinc finger protein KOX32, ZNF34, KOX32

**Storage Conditions** 

-20°C

## Purified ZNF34 (6J6) Mouse Monoclonal antibody - Protein Information

Name ZNF34

Synonyms KOX32

**Function** 

May be involved in transcriptional regulation.

**Cellular Location** 

Nucleus.


# Purified ZNF34 (6J6) Mouse Monoclonal antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture




### Purified ZNF34 (6J6) Mouse Monoclonal antibody - Images



Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human colon tissue using anti-ZNF34 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, AP93891)




Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human breast tissue using anti-ZNF34 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, AP93891)




Immunohistochemical staining of paraffin-embedded Human pancreas tissue within the normal limits using anti-ZNF34 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, AP93891)






Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human ovary tissue using anti-ZNF34 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, AP93891)



Immunohistochemical staining of paraffin-embedded Human Ovary tissue within the normal limits using anti-ZNF34 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris, pH8.5, 120°C for 3min, AP93891)



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY ZNF34 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-ZNF34(Cat# AP93891). Positive lysates (100ug) and (20ug) can be purchased separately from biodragon.