

TTC14 (6S12) Mouse Monoclonal antibody
TTC14 (6S12) Mouse Monoclonal antibody
Catalog # AP93901

Specification

TTC14 (6S12) Mouse Monoclonal antibody - Product Information

| | |
|-------------------|------------------------|
| Application | WB, IHC |
| Primary Accession | O96N46 |
| Reactivity | Rat, Human, Mouse |
| Clonality | Monoclonal |
| Calculated MW | 88319 |

TTC14 (6S12) Mouse Monoclonal antibody - Additional Information

Gene ID 151613

Other Names

Tetratricopeptide repeat protein 14, TPR repeat protein 14, TTC14, KIAA1980

Storage Conditions

-20°C

TTC14 (6S12) Mouse Monoclonal antibody - Protein Information

Name TTC14


Synonyms KIAA1980


TTC14 (6S12) Mouse Monoclonal antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TTC14 (6S12) Mouse Monoclonal antibody - Images







Immunohistochemical staining of paraffin-embedded Carcinoma of Human liver tissue using anti-TTC14 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93901) (1:150)



Immunohistochemical staining of paraffin-embedded Adenocarcinoma of Human colon tissue using anti-TTC14 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93901) (1:150)



Immunohistochemical staining of paraffin-embedded Human pancreas tissue within the normal limits using anti-TTC14 mouse monoclonal antibody. (Heat-induced epitope retrieval by 1mM EDTA in 10mM Tris buffer (pH8.5) at 120°C for 3min, AP93901) (1:150)



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TTC14 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TTC14 (Cat# AP93901)(1:2000). Positive lysates (100ug) and (20ug) can be purchased separately from biodragon.