

TCEANC2 (6R16) Mouse Monoclonal antibody
TCEANC2 (6R16) Mouse Monoclonal antibody
Catalog # AP93904

Specification

TCEANC2 (6R16) Mouse Monoclonal antibody - Product Information

Application	WB
Primary Accession	O96MN5
Reactivity	Rat, Human, Mouse
Clonality	Monoclonal
Calculated MW	24150

TCEANC2 (6R16) Mouse Monoclonal antibody - Additional Information

Gene ID 127428

Other Names

Transcription elongation factor A N-terminal and central domain-containing protein 2, TCEANC2, C1orf83

Storage Conditions

-20°C

TCEANC2 (6R16) Mouse Monoclonal antibody - Protein Information

Name TCEANC2

Synonyms C1orf83

Cellular Location


Nucleus {ECO:0000255|PROSITE-ProRule:PRU00649, ECO:0000255|PROSITE-ProRule:PRU00651}

TCEANC2 (6R16) Mouse Monoclonal antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TCEANC2 (6R16) Mouse Monoclonal antibody - Images



Western blot analysis of extracts (35ug) from 9 different cell lines by using anti-TCEANC2 monoclonal antibody (HepG2: human; HeLa: human; SVT2: mouse; A549: human; COS7: monkey; Jurkat: human; MDCK: canine; PC12: rat; MCF7: human) (1:500).



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TCEANC2 (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TCEANC2 (1:2000). Positive lysates (100ug) and (20ug) can be purchased separately from biodragon.