

TUBA3E (Tubulin alpha 3e) (13E8) Mouse Monoclonal antibody

TUBA3E (Tubulin alpha 3e) (13E8) Mouse Monoclonal antibody Catalog # AP93916

Specification

TUBA3E (Tubulin alpha 3e) (13E8) Mouse Monoclonal antibody - Product Information

Application
Primary Accession
Reactivity
Clonality
Calculated MW

WB <u>O6PEY2</u> Rat, Human, Mouse Monoclonal 49859

TUBA3E (Tubulin alpha 3e) (13E8) Mouse Monoclonal antibody - Additional Information

Gene ID 112714

Other Names

Tubulin alpha-3E chain, 3.6.5.-, Alpha-tubulin 3E, Detyrosinated tubulin alpha-3E chain, TUBA3E

Storage Conditions

-20°C

TUBA3E (Tubulin alpha 3e) (13E8) Mouse Monoclonal antibody - Protein Information

Name TUBA3E

Function

Tubulin is the major constituent of microtubules, a cylinder consisting of laterally associated linear protofilaments composed of alpha- and beta-tubulin heterodimers. Microtubules grow by the addition of GTP-tubulin dimers to the microtubule end, where a stabilizing cap forms. Below the cap, tubulin dimers are in GDP-bound state, owing to GTPase activity of alpha-tubulin.

Cellular Location

Cytoplasm, cytoskeleton.

TUBA3E (Tubulin alpha 3e) (13E8) Mouse Monoclonal antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety




Cell Culture

TUBA3E (Tubulin alpha 3e) (13E8) Mouse Monoclonal antibody - Images



HEK293T cells transfected with either overexpress plasmid (Red) or empty vector control plasmid (Blue) were immunostained by anti-TUBA3E antibody (AP93916), and then analyzed by flow cytometry.



HEK293T cells were transfected with the pCMV6-ENTRY control (Left lane) or pCMV6-ENTRY TUBA3E (Right lane) cDNA for 48 hrs and lysed. Equivalent amounts of cell lysates (5 ug per lane) were separated by SDS-PAGE and immunoblotted with anti-TUBA3E. Positive lysates (100ug) and (20ug) can be purchased separately from biodragon.

TUBA3E (Tubulin alpha 3e) (13E8) Mouse Monoclonal antibody - Background

Tubulin is the major constituent of microtubules. It binds two moles of GTP, one at an exchangeable site on the beta chain and one at a non-exchangeable site on the alpha-chain (By similarity).