

UGDH Recombinant Mouse mAb
UGDH Recombinant Mouse mAb
Catalog # AP94519

Specification

UGDH Recombinant Mouse mAb - Product Information

Application	WB, IHC-P
Host	Rabbit
Clonality	Recombinant

UGDH Recombinant Mouse mAb - Additional Information

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glycerol

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.


UGDH Recombinant Mouse mAb - Protein Information


UGDH Recombinant Mouse mAb - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

UGDH Recombinant Mouse mAb - Images






Cell line: HeLa Fixative: 4% Paraformaldehyde Permeabilization: 0.1% TritonX-100 Primary Ab dilution: 1:50 Primary incubation condition: 4°C overnight Secondary Ab: Goat Anti-Mouse IgG Nuclear counter stain: DAPI (Blue) Comment: Color green is the positive signal for AP94519



Blocking buffer: 5% NFD/MTBST Primary Ab dilution: 1:5000 Primary Ab incubation condition: 2 hours at room temperature Secondary Ab: Goat Anti-Mouse IgG H&L (HRP) Lysate: 1: HeLa, 2: HepG2, 3: Rat Liver, 4: F9 Protein loading quantity: 20 µg Exposure time: 3 s Predicted MW: 55 kDa Observed MW: 55 kDa



Tissue: Human prostatic hyperplasia Section type: Formalin fixed & Paraffin -embedded section

Retrieval method: High temperature and high pressure Retrieval buffer: Tris/EDTA buffer, pH 9.0
Primary Ab dilution: 1:100 Primary Ab incubation condition: 1 hour at room temperature
Secondary Ab: SP Kit(Mouse)(sp-0024) Counter stain: Hematoxylin (Blue) Comment: Color brown
is the positive signal for AP94519

UGDH Recombinant Mouse mAb - Background

This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.