

CD7 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP9733C

Specification

CD7 Antibody (Center) - Product Information

Application WB.E **Primary Accession** P09564 Reactivity Human Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 25409 Antigen Region 65-91

CD7 Antibody (Center) - Additional Information

Gene ID 924

Other Names

T-cell antigen CD7, GP40, T-cell leukemia antigen, T-cell surface antigen Leu-9, TP41, CD7, CD7

Target/Specificity

This CD7 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 65-91 amino acids from the Central region of human CD7.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CD7 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

CD7 Antibody (Center) - Protein Information

Name CD7

Function Transmembrane glycoprotein expressed by T-cells and natural killer (NK) cells and their precursors (PubMed: 7506726). Plays a costimulatory role in T-cell activation upon binding to its ligand K12/SECTM1 (PubMed: 10652336). In turn, mediates the production of cytokines such as IL-2



(PubMed: <u>1709867</u>). On resting NK-cells, CD7 activation results in a significant induction of interferon-gamma levels (PubMed: <u>7506726</u>).

Cellular Location

Membrane; Single-pass type I membrane protein.

Tissue Location


Expressed on T-cells and natural killer (NK) cells and their precursors.

CD7 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

CD7 Antibody (Center) - Images



Western blot analysis of CD7 Antibody (Center) (Cat. #AP9733c) in mouse spleen tissue lysates (35ug/lane). CD7 (arrow) was detected using the purified Pab.

CD7 Antibody (Center) - Background

CD7 is a transmembrane protein which is a member of the immunoglobulin superfamily. This protein is found on thymocytes and mature T cells. It plays an essential role in T-cell interactions and also in T-cell/B-cell interaction during early lymphoid development.

CD7 Antibody (Center) - References

SundarRaj, S., et al. Mol. Immunol. 46(16):3411-3419(2009) Seegmiller, A.C., et al. Cytometry B Clin Cytom 76(3):169-174(2009) Liu, T.Y., et al. Histopathology 54(2):214-220(2009)