



CD43

Mouse Monoclonal Antibody (Mab)
Catalog # APA063

Specification

CD43 - Product Information

Application IHC
Primary Accession P16150
Host Mouse
Clonality Monoclonal
Calculated MW 40322 Da

CD43 - Additional Information

Gene ID 6693 Gene Name SPN

Other Names

Leukosialin, GPL115, Galactoglycoprotein, GALGP, Leukocyte sialoglycoprotein, Sialophorin, CD43, CD43 cytoplasmic tail, CD43-ct, CD43ct, SPN, CD43

Storage Maintain refrigerated at 2-8°C for up to 2

weeks. For long term storage store at -20°C in small aliquots to prevent

freeze-thaw cycles.

Precautions CD43 is for research use only and not for

use in diagnostic or therapeutic

procedures.

CD43 - Protein Information

Name SPN

Synonyms CD43
Function Pred

unction

Predominant cell surface sialoprotein of leukocytes which regulates multiple T-cell functions, including T-cell activation, proliferation, differentiation, trafficking

and migration. Positively regulates T-cell trafficking to lymph-nodes via its

association with ERM proteins (EZR, RDX and MSN) (By similarity). Negatively regulates Th2 cell differentiation and predisposes the differentiation of T-cells towards a Th1 lineage commitment.

Promotes the expression of IFN-gamma by T-cells during T-cell receptor (TCR)

activation of naive cells and induces the expression of IFN-gamma by CD4(+) T-cells and to a lesser extent by CD8(+) T-cells





Cellular Location

Tissue Location

preparing T-cells for cytokine sensing and differentiation into effector cells by inducing the expression of cytokine receptors IFNGR and IL4R, promoting IFNGR and IL4R signaling and by mediating the clustering of IFNGR with TCR (PubMed: <u>24328034</u>). Acts as a major E-selectin ligand responsible for Th17 cell rolling on activated vasculature and recruitment during inflammation. Mediates Th17 cells, but not Th1 cells, adhesion to E- selectin. Acts as a T-cell counter-receptor for SIGLEC1 (By similarity). Membrane; Single-pass type I membrane protein. Cell projection, microvillus {ECO:0000250|UniProtKB:P13838}. Cell projection, uropodium {ECO:0000250|UniProtKB:P15702}. Note=Localizes to the uropodium and microvilli via its interaction with ERM proteins (EZR, RDX and MSN) {ECO:0000250|UniProtKB:P13838,

ECO:0000250|UniProtKB:P15702}

Cell surface of thymocytes, T-lymphocytes, neutrophils, plasma cells and myelomas

(PubMed: 18036228). Plays a role in

CD43 - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

CD43 - Images