

**Anti-TNFRSF13C / BAFFR / CD268 Reference Antibody (ianalumab)
Recombinant Antibody
Catalog # APR10153****Specification**

Anti-TNFRSF13C / BAFFR / CD268 Reference Antibody (ianalumab) - Product Information

Application	FC, E, FTA
Primary Accession	O96RJ3
Reactivity	Cynomolgus, Human
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	146.44 KDa

Anti-TNFRSF13C / BAFFR / CD268 Reference Antibody (ianalumab) - Additional Information**Target/Specificity**

TNFRSF13C / BAFFR / CD268

Endotoxin

< 0.001EU/ µg,determined by LAL method.

Conjugation

Unconjugated

Expression system

CHO Cell

Format

Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.

Storage

-80°C for 2 years under sterile conditions □ -20°C for 1 year under sterile conditions □ Avoid repeated freeze-thaw cycles.

Anti-TNFRSF13C / BAFFR / CD268 Reference Antibody (ianalumab) - Protein Information**Name** TNFRSF13C**Synonyms** BAFFR, BR3**Function**

B-cell receptor specific for TNFSF13B/TALL1/BAFF/BLyS. Promotes the survival of mature B-cells and the B-cell response.

Cellular Location

Membrane; Single-pass type III membrane protein

Tissue Location


Highly expressed in spleen and lymph node, and in resting B-cells. Detected at lower levels in activated B-cells, resting CD4+ T-cells, in thymus and peripheral blood leukocytes

Anti-TNFRSF13C / BAFFR / CD268 Reference Antibody (ianalumab) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Anti-TNFRSF13C / BAFFR / CD268 Reference Antibody (ianalumab) - Images



Anti-TNFRSF13C / BAFFR / CD268 Reference Antibody (ianalumab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-TNFRSF13C / BAFFR / CD268 Reference Antibody (ianalumab) is more than 100% ,determined by SEC-HPLC.



Immobilized human GPA33 / A33, Fc tag at 2 µg/mL can bind Anti-TNFRSF13C / BAFFR / CD268 Reference Antibody (ianalumab) □EC₅₀=0.008489 µg/mL

