

**Anti-ROR1 Reference Antibody (zilovertamab)
Recombinant Antibody
Catalog # APR10206****Specification**

Anti-ROR1 Reference Antibody (zilovertamab) - Product Information

Application	FC, E, FTA
Primary Accession	Q01973
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	145.12 KDa

Anti-ROR1 Reference Antibody (zilovertamab) - Additional Information**Target/Specificity**
ROR1**Endotoxin**
< 0.001EU/ µg,determined by LAL method.**Conjugation**
Unconjugated**Expression system**
CHO Cell**Format**
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.**Anti-ROR1 Reference Antibody (zilovertamab) - Protein Information****Name** ROR1**Synonyms** NTRKR1**Function**
Has very low kinase activity in vitro and is unlikely to function as a tyrosine kinase in vivo (PubMed:25029443). Receptor for ligand WNT5A which activate downstream NFkB signaling pathway and may result in the inhibition of WNT3A-mediated signaling (PubMed:25029443, PubMed:27162350). In inner ear, crucial for spiral ganglion neurons to innervate auditory hair cells (PubMed:27162350). Via IGFBP5 ligand, forms a complex with ERBB2 to enhance CREB oncogenic signaling (PubMed:36949068).

Cellular Location

Membrane; Single-pass type I membrane protein. Cell projection, axon
{ECO:0000250|UniProtKB:Q9Z139}


Tissue Location

Expressed strongly in human heart, lung and kidney, but weakly in the CNS. Isoform Short is strongly expressed in fetal and adult CNS and in a variety of human cancers, including those originating from CNS or PNS neuroectoderm


Anti-ROR1 Reference Antibody (zilovertamab) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-ROR1 Reference Antibody (zilovertamab) - Images

Anti-ROR1 Reference Antibody (zilovertamab) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 95%



The purity of Anti-ROR1 Reference Antibody (zilovertamab) is more than 98.21% ,determined by SEC-HPLC.



Immobilized human ROR1 His at 2 µg/mL can bind Anti-ROR1 Reference Antibody (zilovetamab) □ EC50=0.00283 µg/mL