

Anti-TGFb1 Reference Antibody (M7824)
Recombinant Antibody
Catalog # APR10250

Specification

Anti-TGFb1 Reference Antibody (M7824) - Product Information

| | |
|-------------------|--------------------------|
| Application | FC, E, FTA |
| Primary Accession | P01137 |
| Reactivity | Cynomolgus, Human, Mouse |
| Clonality | Monoclonal |
| Isotype | IgG1 |
| Calculated MW | 178 KDa |

Anti-TGFb1 Reference Antibody (M7824) - Additional Information

Target/Specificity
TGFb1

Endotoxin
< 0.001EU/ µg,determined by LAL method.

Conjugation
Unconjugated

Expression system
CHO Cell

Format
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.

Anti-TGFb1 Reference Antibody (M7824) - Protein Information

Name TGFB1 ([HGNC:11766](#))

Synonyms TGFB

Function
Transforming growth factor beta-1 proprotein: Precursor of the Latency-associated peptide (LAP) and Transforming growth factor beta-1 (TGF-beta-1) chains, which constitute the regulatory and active subunit of TGF-beta-1, respectively.

Cellular Location
[Latency-associated peptide]: Secreted, extracellular space, extracellular matrix

Tissue Location
Highly expressed in bone (PubMed:11746498, PubMed:17827158). Abundantly expressed in articular cartilage and chondrocytes and is increased in osteoarthritis (OA) (PubMed:11746498,


PubMed:17827158). Colocalizes with ASPN in chondrocytes within OA lesions of articular cartilage (PubMed:17827158)

Anti-TGFb1 Reference Antibody (M7824) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Anti-TGFb1 Reference Antibody (M7824) - Images



Anti-TGFb1 Reference Antibody (M7824) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90.7%



The purity of Anti-TGFb1 Reference Antibody (M7824) is more than 96.19% ,determined by SEC-HPLC.



Immobilized human PD L1 FC at 2 $\mu\text{g/mL}$ can bind Anti-TGFb1 Reference Antibody (M7824) \square EC50=0.2227 $\mu\text{g/mL}$