

**Anti-IL-2Ra / CD25 Reference Antibody (camidanlumAb)  
Recombinant Antibody  
Catalog # APR10732****Specification**

---

**Anti-IL-2Ra / CD25 Reference Antibody (camidanlumAb) - Product Information**


Application	FC, E, FTA
Primary Accession	<a href="#">P01589</a>
Reactivity	Human
Clonality	Monoclonal
Isotype	IgG1
Calculated MW	145 KDa

**Anti-IL-2Ra / CD25 Reference Antibody (camidanlumAb) - Additional Information****Target/Specificity**  
IL-2Ra / CD25**Endotoxin**  
< 0.001EU/ µg,determined by LAL method.**Conjugation**  
Unconjugated**Expression system**  
CHO Cell**Format**  
Purified monoclonal antibody supplied in PBS, pH6.0, without preservative.This antibody is purified through a protein A column.**Anti-IL-2Ra / CD25 Reference Antibody (camidanlumAb) - Protein Information****Name** IL2RA**Function**  
Receptor for interleukin-2. The receptor is involved in the regulation of immune tolerance by controlling regulatory T cells (TREGs) activity. TREGs suppress the activation and expansion of autoreactive T-cells.**Cellular Location**  
Membrane; Single-pass type I membrane protein.**Anti-IL-2Ra / CD25 Reference Antibody (camidanlumAb) - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### Anti-IL-2Ra / CD25 Reference Antibody (camidanlumAb) - Images



Anti-IL-2Ra / CD25 Reference Antibody (camidanlumAb) on SDS-PAGE under reducing (R) condition. The gel was stained with Coomassie Blue. The purity of the protein is greater than 90%



The purity of Anti-IL-2Ra / CD25 Reference Antibody (camidanlumAb) is more than 95%, determined by SEC-HPLC.