

CDCA8 Antibody
Catalog # ASC10745**Specification****CDCA8 Antibody - Product Information**

Application	WB, IF
Primary Accession	Q53HL2
Other Accession	NP_060571 , 8922438
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application Notes	CDCA8 antibody can be used for detection of CDCA8 by Western blot at 1 and 2 µg/mL. Antibody can also be used for immunofluorescence starting at 20 µg/mL. For immunofluorescence start at 20 µg/mL.

CDCA8 Antibody - Additional Information

Gene ID	55143
Target/Specificity	CDCA8;

Reconstitution & Storage

CDCA8 antibody can be stored at 4°C for three months and -20°C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

Precautions

CDCA8 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

CDCA8 Antibody - Protein Information

Name CDCA8

Synonyms PESCRG3

Function

Component of the chromosomal passenger complex (CPC), a complex that acts as a key regulator of mitosis. The CPC complex has essential functions at the centromere in ensuring correct chromosome alignment and segregation and is required for chromatin-induced microtubule stabilization and spindle assembly. Major effector of the TTK kinase in the control of attachment-error-correction and chromosome alignment.

Cellular Location

Nucleus, nucleolus. Cytoplasm. Cytoplasm, cytoskeleton, spindle. Chromosome, centromere.
Note=Localizes on chromosome arms and inner centromeres from prophase through metaphase


and then transferring to the spindle midzone and midbody from anaphase through cytokinesis
Colocalizes with SENP3 in the nucleolus in interphase cells

CDCA8 Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


CDCA8 Antibody - Images



Western blot analysis of CDCA8 in Rat kidney lysate with CDCA8 antibody at (A) 1 and (B) 2 $\mu\text{g/mL}$.



Immunofluorescence of CDCA8 in rat kidney tissue with CDCA8 antibody at 20 $\mu\text{g/mL}$.



Immunofluorescence of CDCA8 in Rat Kidney cells with CDCA8 antibody at 20 $\mu\text{g}/\text{mL}$.

CDCA8 Antibody - Background

CDCA8 Antibody: CDCA8 is a component of a chromosomal passenger complex (CPC) required for stability of the bipolar mitotic spindle. The chromosomal passenger complex, which includes Survivin, CDCA8, INCENP and Aurora-B, is known to play crucial roles during mitosis and cell division. It was found that CDCA8 interacting with Aurora-B, INCENP and Survivin, increases during G2/M phase and then reduces after exit from M phase. CDCA8 is cell cycle regulated, down-regulated in response to p53/Rb-signaling, and up-regulated in many types of cancerous tissues. In *Drosophila* cells, inactivation of CDCA8 results in polyploidy, delayed mitosis and abnormal tissue development, indicating its critical role for cell proliferation. Recent studies show that CDCA8 is essential for cell proliferation during early embryonic development, and its early embryonic lethality cannot be rescued by the loss of p53. Its aberrant expression is linked to a poor prognosis for gastric cancer.

CDCA8 Antibody - References

Gassmann R, Carvalho A, Hanzing AJ, et al. Borealin: a novel chromosomal passenger required for stability of the bipolar mitotic spindle. *J. Cell Biol.*2004; 166:179-91.
Tani M, Okino N, Mitsutake S, et al. Molecular Cloning of the Full-length cDNA Encoding Mouse Neutral Ceramidase. *J. Biol. Chem.*2000; 275:11229-34.
Hanson KK, Kelley AC, and Bienz M Loss of *Drosophila* borealin causes polyploidy, delayed apoptosis and abnormal tissue development. *Development*2005; 132:4777-87.
Date DA, Jacob CJ, Bekier ME et al. Borealin is repressed in response to p53/Rb signaling. *Cell Biol. Int.*2007; 31:1470-81.