

SARS-CoV-2 (COVID-19) Envelope Antibody

Catalog # ASC12086

Specification

SARS-CoV-2 (COVID-19) Envelope Antibody - Product Information

Application	E
Primary Accession	QHD43418
Other Accession	QHD43418
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG

SARS-CoV-2 (COVID-19) Envelope Antibody - Additional Information

Gene ID	43740570
Alias Symbol	E

Other Names

SARS-CoV-2 (COVID-19, 2019-nCoV) Envelope Antibody: Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2), Envelope protein, E protein

Reconstitution & Storage

SARS-CoV-2 (COVID-19) Envelope antibody can be stored at 4 ° C for three months and -20 ° C, stable for up to one year. As with all antibodies care should be taken to avoid repeated freeze thaw cycles. Antibodies should not be exposed to prolonged high temperatures.

Precautions

SARS-CoV-2 (COVID-19) Envelope Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

SARS-CoV-2 (COVID-19) Envelope Antibody - Protein Information

SARS-CoV-2 (COVID-19) Envelope Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SARS-CoV-2 (COVID-19) Envelope Antibody - Images

SARS-CoV-2 (COVID-19) Envelope Antibody - Background

Coronavirus disease 2019 (COVID-19), formerly known as 2019-nCoV acute respiratory disease, is an infectious disease caused by SARS-CoV-2, a virus closely related to the SARS virus (1). The disease is the cause of the 2019–20 coronavirus outbreak (2). The structure of 2019-nCoV consists of the following: a spike protein (S), hemagglutinin-esterase dimer (HE), a membrane glycoprotein (M), an envelope protein (E) a nucleocapsid protein (N) and RNA. The envelope protein is a small polypeptide that contains at least one α -helical transmembrane domain. It involves in several aspects of the virus's life cycle, such as assembly, budding, envelope formation, and pathogenesis. E protein has membrane permeabilizing activity, which provides a possible rationale to inhibit in vitro ion channel activity of some synthetic corona virus E proteins, and also viral replication (3).

SARS-CoV-2 (COVID-19) Envelope Antibody - References

Gorbalenya. bioRxiv: 2020.Hui et al. Int J Infect Dis. 2020;91:264-266.Pervushin et al. PLoS Pathog. 2009; 5(7): e1000511.