

MMP7 Antibody
Rabbit Anti-Human MMP7 Polyclonal
Catalog # ASM10584**Specification**

MMP7 Antibody - Product Information

Application	IHC
Primary Accession	P09237
Other Accession	NP_002414.1
Host	Rabbit
Reactivity	Rat
Clonality	Polyclonal
Format	MMP7
Target/Specificity	
MMP7	

Other Names

Matrilysin Antibody, Matrin Antibody, Uterine matrilysin Antibody, Matrix metalloproteinase-7 Antibody, MMP 7 Antibody, MPSL1 Antibody, MMP7 Antibody, PUMP 1 Antibody, Matrix Metalloproteinase 7 Antibody, Pump 1 protease Antibody, PUMP1 Antibody, MMP7_HUMAN Antibody, MMP-7 Antibody, Pump-1 protease Antibody, Uterine metalloproteinase Antibody

Immunogen

Synthetic peptide from the C-terminal of Human MMP7 (257-267 aa), conjugated to Keyhole Limpet Haemocyanin (KLH).

Purification

Peptide Affinity Purified

Storage **-20°C**

Storage Buffer

PBS pH 7.4, 50% glycerol, 0.09% sodium azide *Storage buffer may change when conjugated

Shipping Temperature **Blue Ice or 4°C**

Certificate of Analysis

A 1:1000 dilution of SPC-735 was sufficient for detection of MMP7 in 10 µg of rat kidney cell lysates by ECL immunoblot analysis using goat anti-rabbit IgG:HRP as the secondary antibody.

Cellular Localization

Secreted | Extracellular Space | Extracellular Matrix


MMP7 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MMP7 Antibody - Images



Immunohistochemistry analysis using Rabbit Anti-MMP7 Polyclonal Antibody (SPC-735). Tissue: Breast Cancer. Species: Human. Fixation: Formalin Fixed Paraffin-Embedded. Primary Antibody: Rabbit Anti-MMP7 Polyclonal Antibody (SPC-735) at 1:50 for 30 min at RT. Magnification: 20X. | Western blot analysis of Rat kidney lysate showing detection of ~28 kDa MMP7 protein using Rabbit Anti-MMP7 Polyclonal Antibody (SPC-735). Lane 1: Molecular Weight Ladder (MW). Lane 2: Rat kidney lysate. Load: 10 µg. Block: 5% Skim Milk in 1X TBST. Primary Antibody: Rabbit Anti-MMP7 Polyclonal Antibody (SPC-735) at 1:1000 for 2 hours at RT. Secondary Antibody: Goat Anti-Rabbit HRP:IgG at 1:4000 for 1 hour at RT. Color Development: ECL solution for 5 min at RT. Predicted/Observed Size: ~28 kDa.



Immunohistochemistry analysis using Rabbit Anti-MMP7 Polyclonal Antibody (SPC-735). Tissue: Breast Cancer. Species: Human. Fixation: Formalin Fixed Paraffin-Embedded. Primary Antibody: Rabbit Anti-MMP7 Polyclonal Antibody (SPC-735) at 1:50 for 30 min at RT. Magnification: 20X. | Western blot analysis of Rat kidney lysate showing detection of ~28 kDa MMP7 protein using Rabbit Anti-MMP7 Polyclonal Antibody (SPC-735). Lane 1: Molecular Weight Ladder (MW). Lane 2: Rat kidney lysate. Load: 10 µg. Block: 5% Skim Milk in 1X TBST. Primary Antibody: Rabbit Anti-MMP7 Polyclonal Antibody (SPC-735) at 1:1000 for 2 hours at RT. Secondary Antibody: Goat Anti-Rabbit HRP:IgG at 1:4000 for 1 hour at RT. Color Development: ECL solution for 5 min at RT.

Predicted/Observed Size: ~28 kDa.