

**Anti-Horse IgG (H&L) (Biotin Conjugated) Secondary Antibody**  
**Rabbit Polyclonal, Biotin**  
**Catalog # ASR2038****Specification****Anti-Horse IgG (H&L) (Biotin Conjugated) Secondary Antibody - Product Information**

|                       |   |
|-----------------------|---|
| Description           | <b>Anti-HORSE IgG (H&amp;L) (RABBIT) Antibody<br/>Biotin Conjugated</b>                               |
| Host                  | <b>Rabbit</b>   |
| Conjugate             | <b>Biotin</b>   |
| Target Species        | <b>Horse</b>  |
| Clonality             | <b>Polyclonal</b>   |
| Application           | <b>,1,10,15,</b>  |
| Application Note      | <b>ELISA 1:20,000-1:100,000;Western Blot<br/>1:2,000-1:10,000;Immunochemistry<br/>1:1,000-1:5,000</b> |
| Physical State        | <b>Lyophilized</b>  |
| Host Isotype          | <b>IgG</b>  |
| Target Isotype        | <b>IgG (H&amp;L)</b>  |
| Buffer                | <b>0.02 M Potassium Phosphate, 0.15 M<br/>Sodium Chloride, pH 7.2</b>                                 |
| Immunogen             | <b>Horse IgG whole molecule</b>   |
| Reconstitution Volume | <b>1.0 mL</b>   |
| Reconstitution Buffer | <b>Restore with deionized water (or<br/>equivalent)</b>   |
| Stabilizer            | <b>10 mg/mL Bovine Serum Albumin (BSA) -<br/>Immunoglobulin and Protease free</b>                     |
| Preservative          | <b>0.01% (w/v) Sodium Azide</b>   |

**Anti-Horse IgG (H&L) (Biotin Conjugated) Secondary Antibody - Additional Information****Shipping Condition**

Ambient

**Purity**

This product was prepared from monospecific antiserum by immunoaffinity chromatography using Horse IgG coupled to agarose. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Rabbit Serum, Horse IgG and Horse Serum..

**Storage Condition**

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

**Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.

**Anti-Horse IgG (H&L) (Biotin Conjugated) Secondary Antibody - Protein Information**

## **Anti-Horse IgG (H&L) (Biotin Conjugated) Secondary Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## **Anti-Horse IgG (H&L) (Biotin Conjugated) Secondary Antibody - Images**