

# Anti-GLYCEROL KINASE (Cellulomonas species) (GOAT) Antibody Peroxidase Conjugated Glycerol Kinase Antibody HRP Conjugated Catalog # ASR3988

#### **Specification**

### Anti-GLYCEROL KINASE (Cellulomonas species) (GOAT) Antibody Peroxidase Conjugated - Product Information

Goat

Cellulomonas

**Polyclonal** 

Host Conjugate Target Species Clonality Application Application Note

**Physical State** 

Immunogen

**Reconstitution Volume** 

Reconstitution Buffer

Buffer

WB, E, I, LCI
Anti-Glycerol Kinase has been tested by
ELISA and western blot. this product is
assayed against 1.0 ug of Glycerol Kinase
[Cellulomonas species] in a standard
capture ELISA using ABTS (2,2'-azino-bis-[3
-ethylbenthiazoline-6-sulfonic acid]) code
# ABTS-100 as a substrate for 30 minutes
at room temperature. A working dilution
of 1:500 to 1:2,500 of the reconstitution
concentration is suggested for this

product. Lyophilized

0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Peroxidase (Horseradish)

**Glycerol Kinase [Cellulomonas species]** 

100 μL

Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Gentamicin Sulfate. Do NOT

add Sodium Azide!

### Anti-GLYCEROL KINASE (Cellulomonas species) (GOAT) Antibody Peroxidase Conjugated - Additional Information

Other Names 6960048

#### **Purity**

Glycerol Kinase is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum as well as purified and partially purified Glycerol Kinase [Cellulomonas species]. Cross reactivity against Glycerol Kinase from other sources is unknown.

#### **Storage Condition**



Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

#### **Precautions Note**

This product is for research use only and is not intended for therapeutic or diagnostic applications.


### Anti-GLYCEROL KINASE (Cellulomonas species) (GOAT) Antibody Peroxidase Conjugated - Protein Information

### Anti-GLYCEROL KINASE (Cellulomonas species) (GOAT) Antibody Peroxidase Conjugated - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

## Anti-GLYCEROL KINASE (Cellulomonas species) (GOAT) Antibody Peroxidase Conjugated - Images



Western Blot of Goat anti-Glycerol Kinase (Cellulomonas species) Antibody Peroxidase Conjugated. Lane 1: Glycerol Kinase (Cellulomonas species). Load: 50 ng per lane. Primary antibody: Goat anti-Glycerol Kinase (Cellulomonas species) Antibody Peroxidase Conjugated at 1:1,000 overnight at 4°C. Secondary antibody: n/a. Block: MB-070 for 30 minutes at RT. Predicted/Observed size: 55 kDa, 55 kDa for Glycerol Kinase.

# Anti-GLYCEROL KINASE (Cellulomonas species) (GOAT) Antibody Peroxidase Conjugated - Background

Glycerol Kinase is a key enzyme in the regulation of glycerol uptake and metabolism. Glycerol kinase is a phosphotransferase enzyme involved in triglycerides and glycerophospholipids





synthesis.