

Anti-MALTOSE PHOSPHORYLASE (E.coli) (GOAT) Antibody Biotin Conjugate
Maltose Phosphorylase Antibody Biotin Conjugated
Catalog # ASR4047

Specification

Anti-MALTOSE PHOSPHORYLASE (E.coli) (GOAT) Antibody Biotin Conjugate - Product Information

Host	Goat
Conjugate	Biotin
Target Species	Escherichia coli
Reactivity	Bacteria
Clonality	Polyclonal
Application	WB, E, IP, I, LCI
Application Note	Anti-Maltose Phosphorylase antibody has been assayed against 1.0 µg of Maltose Phosphorylase in a standard capture ELISA using Peroxidase Conjugated Streptavidin #S000-03 and ABTS (2,2'-azino-bis-[3-ethyl benthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:4,000 to 1:20,000 of the reconstitution concentration is suggested for this product.
Physical State	Lyophilized
Buffer	0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2
Immunogen	Maltose Phosphorylase [E.coli]
Reconstitution Volume	100 µL
Reconstitution Buffer	Restore with deionized water (or equivalent)
Stabilizer	10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free
Preservative	0.01% (w/v) Sodium Azide

Anti-MALTOSE PHOSPHORYLASE (E.coli) (GOAT) Antibody Biotin Conjugate - Additional Information

Other Names
6233598

Purity

Anti-Maltose Phosphorylase antibody is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Biotin, anti-Goat Serum as well as purified and partially purified Maltose Phosphorylase [E.coli]. Cross reactivity against Maltose Phosphorylase from other sources is unknown.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-MALTOSE PHOSPHORYLASE (E.coli) (GOAT) Antibody Biotin Conjugate - Protein Information

Anti-MALTOSE PHOSPHORYLASE (E.coli) (GOAT) Antibody Biotin Conjugate - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Anti-MALTOSE PHOSPHORYLASE (E.coli) (GOAT) Antibody Biotin Conjugate - Images

Anti-MALTOSE PHOSPHORYLASE (E.coli) (GOAT) Antibody Biotin Conjugate - Background

Anti-Maltose Phosphorylase recognizes the protein maltose phosphorylase which belongs to the glycosyltransferases family. Maltose phosphorylase catalyzes the reaction in which maltose and inorganic phosphate are converted to D-glucose and beta-D-glucose 1-phosphate.