

Anti-BIOTIN (GOAT) Antibody Fluorescein Conjugated

Biotin Antibody Fluorescein Conjugated Catalog # ASR4085

Specification

Anti-BIOTIN (GOAT) Antibody Fluorescein Conjugated - Product Information

Host Goat

Conjugate Fluorescein (FITC)

FP Value 1.7

Clonality Polyclonal Application I, LCI

Application Note This product is designed for

immunofluorescence microscopy,

fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

Physical State Lyophilized

Buffer 0.01 M Sodium Phosphate, 0.15 M Sodium

Chloride, pH 7.2

Immunogen Biotin conjugated Keyhole Limpet

Hemocyanin (KLH)

Reconstitution Volume 2.0 mL

Reconstitution Buffer Restore with deionized water (or

equivalent)

Stabilizer 10 mg/mL Bovine Serum Albumin (BSA) -

Immunoglobulin and Protease free

Preservative 0.01% (w/v) Sodium Azide

Anti-BIOTIN (GOAT) Antibody Fluorescein Conjugated - Additional Information

Purity

This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-fluorescein, anti-Goat Serum, Biotin IgG and Biotin BSA.

Storage Condition

Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-BIOTIN (GOAT) Antibody Fluorescein Conjugated - Protein Information



Anti-BIOTIN (GOAT) Antibody Fluorescein Conjugated - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-BIOTIN (GOAT) Antibody Fluorescein Conjugated - Images

Anti-BIOTIN (GOAT) Antibody Fluorescein Conjugated - Background

Biotin Antibody detects Biotin. Biotin is a water-soluble B-complex vitamin (vitamin B7). It is composed of a ureido (tetrahydroimidizalone) ring fused with a tetrahydrothiophene ring. A valeric acid substituent is attached to one of the carbon atoms of the tetrahydrothiophene ring. Biotin is a coenzyme for carboxylase enzymes, involved in the synthesis of fatty acids, isoleucine, and valine, and in gluconeogenesis. Biotin is necessary for cell growth, the production of fatty acids, and the metabolism of fats and amino acids. Anti-Biotin Fluorescein Conjugated Antibody is ideal for investigators involved in Cell Signaling and Cell Biology research.