10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Anti-BETA-2-MICROGLOBULIN (Human Urine) (RABBIT) Antibody

Beta-2-Microglobulin Antibody
Catalog # ASR4377

Specification

Anti-BETA-2-MICROGLOBULIN (Human Urine) (RABBIT) Antibody - Product Information

Host	**Rabbit**
Conjugate	**Unconjugated**
Target Species	**Human**
Reactivity	**Human**
Clonality	**Polyclonal**
Application	**WB, IHC, E, I, LCI**
Application Note	**Anti-beta-2-Microglobulin antibody has been tested in western blot, immunohistochemistry, and immunofluorescence. This product detects a single band of the expected apparent molecular weight (~13.7kDa), and is suitable for use in ELISA. Researchers should determine optimal titers for applications that are not stated below.**
Physical State	**Lyophilized**
Buffer	**0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2**
Immunogen	**Anti-Beta-2-Microglobulin Antibody was produced by repeated immunizations with human beta-2-Microglobulin protein isolated from urine.**
Reconstitution Volume	**100 µL**
Reconstitution Buffer	**Restore with deionized water (or equivalent)**
Preservative	**0.01% (w/v) Sodium Azide**

Anti-BETA-2-MICROGLOBULIN (Human Urine) (RABBIT) Antibody - Additional Information

Gene ID 567

Other Names
567

Purity
Anti-beta-2-Microglobulin antibody is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase and anti-Rabbit Serum, as well as purified and partially purified b2-Microglobulin (Human Urine). Cross reactivity against b2-Microglobulin from other sources is unknown.

Storage Condition
Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C

or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note
This product is for research use only and is not intended for therapeutic or diagnostic applications.

Anti-BETA-2-MICROGLOBULIN (Human Urine) (RABBIT) Antibody - Protein Information

Name B2M (HGNC:914)

Function
Component of the class I major histocompatibility complex (MHC). Involved in the presentation of peptide antigens to the immune system. Exogenously applied M.tuberculosis EsxA or EsxA-EsxB (or EsxA expressed in host) binds B2M and decreases its export to the cell surface (total protein levels do not change), probably leading to defects in class I antigen presentation (PubMed:25356553).

Cellular Location
Secreted. Cell surface. Note=Detected in serum and urine (PubMed:1336137, PubMed:7554280). {ECO:0000269|PubMed:7554280, ECO:0000269|Ref.6}

Anti-BETA-2-MICROGLOBULIN (Human Urine) (RABBIT) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-BETA-2-MICROGLOBULIN (Human Urine) (RABBIT) Antibody - Images

Anti-BETA-2-MICROGLOBULIN (Human Urine) (RABBIT) Antibody - Background

Anti-beta-2-Microglobulin Antibody detects beta-2-Microglobulin. Beta-2-microglobulin is a component of the class I major histocompatibility complex (MHC), which are present on all nucleated cells (excludes red blood cells). It is involved in the presentation of peptide antigens to the immune system. Beta-2-microglobulin associates not only with the alpha chain of MHC class I molecules, but also with class I-like molecules such as CD1 and Qa. Defects in B2M are the cause of hypercatabolic hypoproteinemia. Anti-beta-2-Microglobulin Antibody is ideal for investigators involved in Cell Signaling, Immunology and Cell Biology research.