

Anti-Btb1 (RABBIT) Antibody

BTB1 Antibody Catalog # ASR5256

Specification

Anti-Btb1 (RABBIT) Antibody - Product Information

Host Rabbit

Conjugate Unconjugated

Target Species
Reactivity
Clonality
Application
Human
Polyclonal
WB, E, I, LCI

Application Note This affinity purified antibody has been tested for use in ELISA against the

immunizing peptide. Reactivity in other

immunoassays is unknown.

Physical State Liquid (sterile filtered)

Buffer 0.02 M Potassium Phosphate, 0.15 M

Sodium Chloride, pH 7.2

Immunogen This affinity purified antibody was

prepared from whole rabbit serum

produced by repeated immunizations with a synthetic peptide corresponding to an internal region of Human Btb1. Btb1 is a currently uncharacterized human ankyrin repeat protein BAA92655. This protein has

been suggested to bind to CUL3.

Preservative 0.01% (w/v) Sodium Azide

Anti-Btb1 (RABBIT) Antibody - Additional Information

Gene ID 25998

Other Names

25998

Purity

This is an affinity purified antibody produced by immunoaffinity chromatography using the immunizing peptide after immobilization to a solid phase.

Storage Condition

Store vial at -20° C prior to opening. Aliquot contents and freeze at -20° C or below for extended storage. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.

Precautions Note

This product is for research use only and is not intended for therapeutic or diagnostic applications.



Anti-Btb1 (RABBIT) Antibody - Protein Information

Name IBTK

Synonyms BTKI, KIAA1417

Function

Acts as an inhibitor of BTK tyrosine kinase activity, thereby playing a role in B-cell development. Down-regulates BTK kinase activity, leading to interference with BTK-mediated calcium mobilization and NF-kappa-B-driven transcription.

Cellular Location

Cytoplasm. Membrane; Peripheral membrane protein. Note=Translocates to the plasma membrane upon IgM stimulation

Tissue Location

Expressed in DeFew, HEK293T, HeLa and in Jurkat, MC3 and NB4 lymphoid cells (at protein level). Isoform 1 is the predominant isoform expressed in all examined tissues and cell lines Highly expressed in hemopoietic tissues (fetal liver, spleen, lymph node, thymus, peripheral blood leukocytes and bone marrow). Weakly or not expressed in other tissues.

Anti-Btb1 (RABBIT) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Btb1 (RABBIT) Antibody - Images

Anti-Btb1 (RABBIT) Antibody - Background

BTB1 acts as an inhibitor of BTK tyrosine kinase activity, thereby playing a role in B-cell development. It down-regulates BTK kinase activity, leading to interference with BTK-mediated calcium mobilization and NF-kappa-B-driven transcription.