

ACADVL Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a partial recombinant ACADVL.

Catalog # AT1019a

Specification

ACADVL Antibody (monoclonal) (M01) - Product Information

Application	WB, IHC, E
Primary Accession	P49748
Other Accession	NM_000018
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2b Kappa
Calculated MW	70390

ACADVL Antibody (monoclonal) (M01) - Additional Information**Gene ID** 37**Other Names**

Very long-chain specific acyl-CoA dehydrogenase, mitochondrial, VLCAD, ACADVL, VLCAD

Target/Specificity

ACADVL (NP_000009, 345 a.a. ~ 434 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB ~ 1:500 ~ 1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

ACADVL Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


ACADVL Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


ACADVL Antibody (monoclonal) (M01) - Images




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (35.64 KDa) .



ACADVL monoclonal antibody (M01), clone 5D3 Western Blot analysis of ACADVL expression in HeLa S3 NE ((Cat # AT1019a)



Immunoperoxidase of monoclonal antibody to ACADVL on formalin-fixed paraffin-embedded human heart. [antibody concentration 3 ug/ml]



Detection limit for recombinant GST tagged ACADVL is approximately 0.03ng/ml as a capture antibody.

ACADVL Antibody (monoclonal) (M01) - Background

The protein encoded by this gene is targeted to the inner mitochondrial membrane where it catalyzes the first step of the mitochondrial fatty acid beta-oxidation pathway. This acyl-Coenzyme A dehydrogenase is specific to long-chain and very-long-chain fatty acids. A deficiency in this gene product reduces myocardial fatty acid beta-oxidation and is associated with cardiomyopathy. Alternative splicing results in multiple transcript variants encoding different isoforms.

ACADVL Antibody (monoclonal) (M01) - References

1.ACAD9, a complex I assembly factor with a moonlighting function in fatty acid oxidation deficiencies. Nouws J, Te Brinke H, Nijtmans LG, Houten SM Hum Mol Genet. 2013 Nov 6. 2. Mild mitochondrial uncoupling does not affect mitochondrial biogenesis but downregulates pyruvate carboxylase in adipocytes: role for triglyceride content reduction. De Pauw A, Demine S, Tejerina S, Dieu M, Delaive E, Kel A, Renard P, Raes M, Arnould T. Am J Physiol Endocrinol Metab. 2012 May;302(9):E1123-41. Epub 2012 Feb 21.