

## CSDA Antibody (monoclonal) (M06)

Mouse monoclonal antibody raised against a partial recombinant CSDA.

Catalog # AT1649a

### Specification

---

#### CSDA Antibody (monoclonal) (M06) - Product Information

Application	IF, WB, E
Primary Accession	<a href="#">P16989</a>
Other Accession	<a href="#">NM_003651</a>
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Isotype	IgG2a Kappa
Calculated MW	40090

#### CSDA Antibody (monoclonal) (M06) - Additional Information

Gene ID 8531

##### Other Names

Y-box-binding protein 3, Cold shock domain-containing protein A, DNA-binding protein A, Single-strand DNA-binding protein NF-GMB, YBX3, CSDA, DBPA

##### Target/Specificity

CSDA (NP\_003642, 241 a.a. ~ 330 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

##### Dilution

WB~~1:500~1000

##### Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

##### Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

##### Precautions

CSDA Antibody (monoclonal) (M06) is for research use only and not for use in diagnostic or therapeutic procedures.


#### CSDA Antibody (monoclonal) (M06) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


### CSDA Antibody (monoclonal) (M06) - Images



Immunofluorescence of monoclonal antibody to CSDA on HeLa cell. [antibody concentration 10 ug/ml]




Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (35.64 KDa) .



CSDA monoclonal antibody (M06), clone 1H5 Western Blot analysis of CSDA expression in HeLa (

(Cat # AT1649a )



Detection limit for recombinant GST tagged CSDA is approximately 3ng/ml as a capture antibody.

### **CSDA Antibody (monoclonal) (M06) - References**

ZONAB promotes proliferation and represses differentiation of proximal tubule epithelial cells. Lima WR, et al. J Am Soc Nephrol, 2010 Mar. PMID 20133480. Upregulation of human DNA binding protein A (dbpA) in gastric cancer cells. Wang GR, et al. Acta Pharmacol Sin, 2009 Oct. PMID 19749785. A dominant negative mutant of the E. coli RNA helicase DbpA blocks assembly of the 50S ribosomal subunit. Sharpe Elles LM, et al. Nucleic Acids Res, 2009 Oct. PMID 19734347. The metastasis efficiency modifier ribosomal RNA processing 1 homolog B (RRP1B) is a chromatin-associated factor. Crawford NP, et al. J Biol Chem, 2009 Oct 16. PMID 19710015. The symplekin/ZONAB complex inhibits intestinal cell differentiation by the repression of AML1/Runx1. Buchert M, et al. Gastroenterology, 2009 Jul. PMID 19328795.