

## **FABP4 Antibody (monoclonal) (M05)**

**Mouse monoclonal antibody raised against a full length recombinant FABP4.**

**Catalog # AT1986a**

### **Specification**

---

#### **FABP4 Antibody (monoclonal) (M05) - Product Information**

|                   |                          |
|-------------------|--------------------------|
| Application       | IF, WB, IHC              |
| Primary Accession | <a href="#">P15090</a>   |
| Other Accession   | <a href="#">BC003672</a> |
| Reactivity        | Human                    |
| Host              | mouse                    |
| Clonality         | Monoclonal               |
| Isotype           | IgG2a Kappa              |
| Calculated MW     | 14719                    |

#### **FABP4 Antibody (monoclonal) (M05) - Additional Information**

**Gene ID** 2167

##### **Other Names**

Fatty acid-binding protein, adipocyte, Adipocyte lipid-binding protein, ALBP, Adipocyte-type fatty acid-binding protein, A-FABP, AFABP, Fatty acid-binding protein 4, FABP4

##### **Target/Specificity**

FABP4 (AAH03672, 1 a.a. ~ 132 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

##### **Dilution**

WB~~1:500~1000

##### **Format**

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

##### **Storage**

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

##### **Precautions**

FABP4 Antibody (monoclonal) (M05) is for research use only and not for use in diagnostic or therapeutic procedures.


#### **FABP4 Antibody (monoclonal) (M05) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


### FABP4 Antibody (monoclonal) (M05) - Images



Immunofluorescence of monoclonal antibody to FABP4 on HeLa cell . [antibody concentration 10 ug/ml]



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (40.26 KDa) .



Immunoperoxidase of monoclonal antibody to FABP4 on formalin-fixed paraffin-embedded human salivary gland. [antibody concentration 3 ug/ml]

### **FABP4 Antibody (monoclonal) (M05) - Background**

FABP4 encodes the fatty acid binding protein found in adipocytes. Fatty acid binding proteins are a family of small, highly conserved, cytoplasmic proteins that bind long-chain fatty acids and other hydrophobic ligands. It is thought that FABPs roles include fatty acid uptake, transport, and metabolism.

### **FABP4 Antibody (monoclonal) (M05) - References**

Variation at the NFATC2 Locus Increases the Risk of Thiazolinedione-Induced Edema in the Diabetes REduction Assessment with ramipril and rosiglitazone Medication (DREAM) Study. Bailey SD, et al. Diabetes Care, 2010 Jul 13. PMID 20628086.Soluble fibre (Plantago ovata husk) reduces plasma low-density lipoprotein (LDL) cholesterol, triglycerides, insulin, oxidised LDL and systolic blood pressure in hypercholesterolaemic patients: A randomised trial. Sol? R, et al. Atherosclerosis, 2010 Aug. PMID 20413122.FABP4 plasma levels are increased in familial combined hyperlipidemia. Cabr? A, et al. J Lipid Res, 2010 May. PMID 20388924.Circulating adipocyte fatty acid binding protein levels in healthy preterm infants: Positive correlation with weight gain and total-cholesterol levels. Siahnidou T, et al. Early Hum Dev, 2010 Apr. PMID 20231079.Fatty-acid binding protein 4 gene variants and childhood obesity: potential implications for insulin sensitivity and CRP levels. Khalyfa A, et al. Lipids Health Dis, 2010 Feb 15. PMID 20156355.