

## **FZR1 Antibody (monoclonal) (M09)**

Mouse monoclonal antibody raised against a partial recombinant FZR1.

Catalog # AT2133a

### **Specification**

---

#### **FZR1 Antibody (monoclonal) (M09) - Product Information**

Application	WB, E
Primary Accession	<a href="#">O9UM11</a>
Other Accession	<a href="#">NM_016263</a>
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a Kappa
Calculated MW	55179

#### **FZR1 Antibody (monoclonal) (M09) - Additional Information**

**Gene ID** 51343

##### **Other Names**

Fizzy-related protein homolog, Fzr, CDC20-like protein 1, Cdh1/Hct1 homolog, hCDH1, FZR1, CDH1, FYR, FZR, KIAA1242

##### **Target/Specificity**

FZR1 (NP\_057347.2, 1 a.a. ~ 101 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

##### **Dilution**

WB~~1:500~1000

##### **Format**

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

##### **Storage**

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

##### **Precautions**

FZR1 Antibody (monoclonal) (M09) is for research use only and not for use in diagnostic or therapeutic procedures.


#### **FZR1 Antibody (monoclonal) (M09) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


### FZR1 Antibody (monoclonal) (M09) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (36.85 KDa) .



FZR1 monoclonal antibody (M09), clone 3E12. Western Blot analysis of FZR1 expression in HeLa (Cat # AT2133a )



Detection limit for recombinant GST tagged FZR1 is 0.03 ng/ml as a capture antibody.

### FZR1 Antibody (monoclonal) (M09) - References

The anaphase-promoting complex/cyclosome activator Cdh1 modulates Rho GTPase by targeting p190 RhoGAP for degradation. Naoe H, et al. Mol Cell Biol, 2010 Aug. PMID 20530197. Centrosome-related genes, genetic variation, and risk of breast cancer. Olson JE, et al. Breast Cancer Res Treat, 2010 May 28. PMID 20508983. Loss of the mammalian APC/C activator FZR1 shortens G1 and lengthens S phase but has little effect on exit from mitosis. Sigl R, et al. J Cell Sci, 2009 Nov 15. PMID 19861496. The Cdc14B-Cdh1-Plk1 axis controls the G2 DNA-damage-response checkpoint. Bassermann F, et al. Cell, 2008 Jul 25. PMID 18662541. Dissection of the APC/Cdh1-Skp2 cascade in breast cancer. Fujita T, et al. Clin Cancer Res, 2008 Apr 1. PMID 18381934.