

## **GALT Antibody (monoclonal) (M01)**

Mouse monoclonal antibody raised against a full length recombinant GALT.

Catalog # AT2149a

### **Specification**

---

#### **GALT Antibody (monoclonal) (M01) - Product Information**

Application	WB, IHC, E
Primary Accession	<a href="#">P07902</a>
Other Accession	<a href="#">BC015045</a>
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG2a kappa
Calculated MW	43363

#### **GALT Antibody (monoclonal) (M01) - Additional Information**

**Gene ID** 2592

##### **Other Names**

Galactose-1-phosphate uridylyltransferase, Gal-1-P uridylyltransferase,  
UDP-glucose--hexose-1-phosphate uridylyltransferase, GALT

##### **Target/Specificity**

GALT (AAH15045, 1 a.a. ~ 379 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

##### **Dilution**

WB~~1:500~1000

##### **Format**

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

##### **Storage**

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

##### **Precautions**

GALT Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


#### **GALT Antibody (monoclonal) (M01) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


### GALT Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (67.43 KDa) .




GALT monoclonal antibody (M01), clone 4C11 Western Blot analysis of GALT expression in K-562 (Cat # AT2149a )




Western Blot analysis of GALT expression in transfected 293T cell line by GALT monoclonal antibody (M01), clone 4C11.

Lane 1: GALT transfected lysate(43 KDa).  
Lane 2: Non-transfected lysate.



Immunoperoxidase of monoclonal antibody to GALT on formalin-fixed paraffin-embedded human lymphoma tissue. [antibody concentration 1 ug/ml]



Detection limit for recombinant GST tagged GALT is approximately 0.3ng/ml as a capture antibody.

### **GALT Antibody (monoclonal) (M01) - Background**

Galactose-1-phosphate uridyl transferase (GALT) catalyzes the second step of the Leloir pathway of galactose metabolism, namely the conversion of UDP-glucose + galactose-1-phosphate to glucose-1-phosphate + UDP-galactose. The absence of this enzyme results in classic galactosemia in humans and can be fatal in the newborn period if lactose is not removed from the diet. The pathophysiology of galactosemia has not been clearly defined.

### **GALT Antibody (monoclonal) (M01) - References**

Molecular and biochemical characterization of the GALT gene in Korean patients with galactose-1-phosphate uridyltransferase deficiency. Ko DH, et al. Clin Chim Acta, 2010 Oct 9. PMID 20547145. New genetic associations detected in a host response study to hepatitis B vaccine. Davila S, et al. Genes Immun, 2010 Apr. PMID 20237496. Classical galactosemia in Estonia: selective neonatal screening, incidence, and genotype/phenotype data of diagnosed patients. Ounap K, et al. J Inher Metab Dis, 2010 Apr. PMID 20151200. Analysis of galactosemia-linked mutations of GALT enzyme using a computational biology approach. Facchiano A, et al. Protein Eng Des Sel, 2010 Feb. PMID 20008339. Galactose-1-phosphate uridyl transferase deficiency is not associated with M?llerian aplasia in Dutch patients. Nijland R, et al. J Pediatr Adolesc Gynecol, 2009 Aug. PMID 19646668.