

KIAA0056 Antibody (monoclonal) (M01)

Mouse monoclonal antibody raised against a full length recombinant KIAA0056.

Catalog # AT2610a

Specification

KIAA0056 Antibody (monoclonal) (M01) - Product Information

| | |
|-------------------|----------------------------|
| Application | WB, IHC |
| Primary Accession | P42695 |
| Other Accession | BC011408.1 |
| Reactivity | Human |
| Host | Mouse |
| Clonality | Monoclonal |
| Isotype | IgG1 kappa |
| Calculated MW | 168891 |

KIAA0056 Antibody (monoclonal) (M01) - Additional Information

Gene ID 23310

Other Names

Condensin-2 complex subunit D3, Non-SMC condensin II complex subunit D3, hCAP-D3, NCAPD3, CAPD3, KIAA0056

Target/Specificity

KIAA0056 (AAH11408.1, 1 a.a. ~ 341 a.a) full length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Dilution

WB~~1:500~1000

Format

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

Storage

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

Precautions

KIAA0056 Antibody (monoclonal) (M01) is for research use only and not for use in diagnostic or therapeutic procedures.


KIAA0056 Antibody (monoclonal) (M01) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


KIAA0056 Antibody (monoclonal) (M01) - Images



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (63.51 kDa) .



KIAA0056 monoclonal antibody (M01), clone 1D5 Western Blot analysis of KIAA0056 expression in HeLa S3 NE ((Cat # AT2610a)



Immunoperoxidase of monoclonal antibody to KIAA0056 on formalin-fixed paraffin-embedded

human breast cancer tissue.[antibody concentration 2 ug/ml]

KIAA0056 Antibody (monoclonal) (M01) - Background

Condensin complexes I and II play essential roles in mitotic chromosome assembly and segregation. Both condensins contain 2 invariant structural maintenance of chromosome (SMC) subunits, SMC2 (MIM 605576) and SMC4 (MIM 605575), but they contain different sets of non-SMC subunits. NCAPD3 is 1 of 3 non-SMC subunits that define condensin II (Ono et al., 2003 [PubMed 14532007]).

KIAA0056 Antibody (monoclonal) (M01) - References

Personalized smoking cessation: interactions between nicotine dose, dependence and quit-success genotype score. Rose JE, et al. Mol Med, 2010 Jul-Aug. PMID 20379614. The chromosomal association of condensin II is regulated by a noncatalytic function of PP2A. Takemoto A, et al. Nat Struct Mol Biol, 2009 Dec. PMID 19915589. hCAP-D3 expression marks a prostate cancer subtype with favorable clinical behavior and androgen signaling signature. Lapointe J, et al. Am J Surg Pathol, 2008 Feb. PMID 18223322. Genetic correlates of brain aging on MRI and cognitive test measures: a genome-wide association and linkage analysis in the Framingham Study. Seshadri S, et al. BMC Med Genet, 2007 Sep 19. PMID 17903297. Phosphoproteome analysis of the human mitotic spindle. Nousiainen M, et al. Proc Natl Acad Sci U S A, 2006 Apr 4. PMID 16565220.