

**RHOA Antibody (monoclonal) (M06)****Mouse monoclonal antibody raised against a full length recombinant RHOA.****Catalog # AT3635a****Specification**

---

**RHOA Antibody (monoclonal) (M06) - Product Information**

Application	IF, WB
Primary Accession	<a href="#">P61586</a>
Other Accession	<a href="#">BC001360</a>
Reactivity	Human
Host	mouse
Clonality	Monoclonal
Isotype	IgG1 lambda
Calculated MW	21768

**RHOA Antibody (monoclonal) (M06) - Additional Information****Gene ID** 387**Other Names**

Transforming protein RhoA, Rho cDNA clone 12, h12, RHOA, ARH12, ARHA, RHO12

**Target/Specificity**

RHOA (AAH01360, 1 a.a. ~ 193 a.a) full-length recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

**Dilution**

WB~~1:500~1000

**Format**

Clear, colorless solution in phosphate buffered saline, pH 7.2 .

**Storage**

Store at -20°C or lower. Aliquot to avoid repeated freezing and thawing.

**Precautions**

RHOA Antibody (monoclonal) (M06) is for research use only and not for use in diagnostic or therapeutic procedures.


**RHOA Antibody (monoclonal) (M06) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


### RHOA Antibody (monoclonal) (M06) - Images



Immunofluorescence of monoclonal antibody to RHOA on A-431 cell. [antibody concentration 10 ug/ml]



Antibody Reactive Against Recombinant Protein. Western Blot detection against Immunogen (46.97 KDa) .



RHOA monoclonal antibody (M06), clone 1C10 Western Blot analysis of RHOA expression in A-431 ( (Cat # AT3635a )

## **RHOA Antibody (monoclonal) (M06) - References**

Gankyrin plays an essential role in Ras-induced tumorigenesis through regulation of the RhoA/ROCK pathway in mammalian cells. Man JH, et al. J Clin Invest, 2010 Aug 2. PMID 20628200. Variation at the NFATC2 Locus Increases the Risk of Thiazolinedione-Induced Edema in the Diabetes REduction Assessment with ramipril and rosiglitazone Medication (DREAM) Study. Bailey SD, et al. Diabetes Care, 2010 Jul 13. PMID 20628086. Arecoline induces HA22T/VGH hepatoma cells to undergo anoikis - involvement of STAT3 and RhoA activation. Cheng HL, et al. Mol Cancer, 2010 May 28. PMID 20507639. Characterization of the roles of RHOC and RHOA GTPases in invasion, motility, and matrix adhesion in inflammatory and aggressive breast cancers. Wu M, et al. Cancer, 2010 Jun 1. PMID 20503409. Calcium/Calmodulin-dependent protein kinase II delta 6 (CaMKIIdelta6) and RhoA involvement in thrombin-induced endothelial barrier dysfunction. Wang Z, et al. J Biol Chem, 2010 Jul 9. PMID 20442409.